

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15363934	Metri Pack 150SLD	Female	.75		TBD	R624 1404	HT21510404-1	HT21510404-5
15363934	Metri Pack 150SLD	Female	.50	20	TBD	R624 1404	HT21510404-1	HT21510404-5
15363934	Metri Pack 150SLD / TANG	Female	1	16	TBD	R624 1404	HT21510404-1	HT21510404-5
12147473	Ducon 6.3SLD	Female	1.5		TBD	R624 1409	HT66312409-1	HT66312409-5
12147473	Ducon 6.3SLD	Female	2.5		TBD	R624 1409	HT66312409-1	HT66312409-5
12147473	Ducon 6.3SLD	Female	2	14	TBD	R624 1409	HT66312409-1	HT66312409-5
15344632	Ducon 6.3SLD	Male	1.5		TBD	R624 1409	HT66312409-1	HT66312409-5
15344632	Ducon 6.3SLD	Male	2.5		TBD	R624 1409	HT66312409-1	HT66312409-5
15344632	Ducon 6.3SLD	Male	2	14	TBD	R624 1409	HT66312409-1	HT66312409-5
12191818	GT 150SLD	Female	.35	22	TBD	R624 1413	HT11512413-1	HT11512413-5
12191818	GT 150SLD	Female	.50	20	TBD	R624 1413	HT11512413-1	HT11512413-5
12191819	GT 150SLD	Female	.75		TBD	R624 1413	HT11512413-1	HT11512413-5
12191819	GT 150SLD	Female	1	16	TBD	R624 1413	HT11512413-1	HT11512413-5
15305350	GT 150SLD	Female	.75		TBD	R624 1413	HT11512413-1	HT11512413-5
15305350	GT 150SLD	Female	1	16	TBD	R624 1413	HT11512413-1	HT11512413-5
15326268	GT 150SLD	Male	.35	22	TBD	R624 1413	HT11512413-1	HT11512413-5
15326268	GT 150SLD	Male	.50	20	TBD	R624 1413	HT11512413-1	HT11512413-5
15326269	GT 150SLD	Male	.75		TBD	R624 1413	HT11512413-1	HT11512413-5
15326269	GT 150SLD	Male	1	16	TBD	R624 1413	HT11512413-1	HT11512413-5
15326426	GT 150SLD	Female	.35	22	TBD	R624 1413	HT11512413-1	HT11512413-5
15326426	GT 150SLD	Female	.50	20	TBD	R624 1413	HT11512413-1	HT11512413-5
15326427	GT 150SLD	Female	.75		TBD	R624 1413	HT11512413-1	HT11512413-5
15326427	GT 150SLD	Female	1	16	TBD	R624 1413	HT11512413-1	HT11512413-5
12158097	Ducon 1.5SLD	Female	.75		TBD	R624 1417	HT60012417-1	HT60012417-5
12158097	Ducon 1.5SLD	Female	.50	20	TBD	R624 1417	HT60012417-1	HT60012417-5
12158097	Ducon 1.5SLD	Female	1	16	TBD	R624 1417	HT60012417-1	HT60012417-5
12158098	Ducon 2.8SLD	Female	.75		TBD	R624 1417	HT60012417-1	HT60012417-5
12158098	Ducon 2.8SLD	Female	.50	20	TBD	R624 1417	HT60012417-1	HT60012417-5
12158098	Ducon 2.8SLD	Female	1	16	TBD	R624 1417	HT60012417-1	HT60012417-5
12158104	Ducon 1.5SLD	Male	.75		TBD	R624 1417	HT60012417-1	HT60012417-5
12158104	Ducon 1.5SLD	Male	.50	20	TBD	R624 1417	HT60012417-1	HT60012417-5
12158104	Ducon 1.5SLD	Male	1	16	TBD	R624 1417	HT60012417-1	HT60012417-5
12185129	Ducon 2.8SLD	Male	.75		TBD	R624 1417	HT60012417-1	HT60012417-5
12185129	Ducon 2.8SLD	Male	.50	20	TBD	R624 1417	HT60012417-1	HT60012417-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12185129	Ducon 2.8SLD	Male	1	16	TBD	R624 1417	HT60012417-1	HT60012417-5
15337281	Metri Pack 150SLD	Female	1.5		TBD	R624 1418	HT21510418-1	HT21510418-5
15337281	Metri Pack 150SLD	Female	1	16	TBD	R624 1418	HT21510418-1	HT21510418-5
12066214	Metri Pack 280	Female	1.5		TBD	R624 1419	HT22800419-1	HT22800419-5
12066214	Metri Pack 280	Female	1	16	TBD	R624 1419	HT22800419-1	HT22800419-5
12066214	Metri Pack 280	Female	2	14	TBD	R624 1419	HT22800419-1	HT22800419-5
12077413	Metri Pack 280SLD	Female	4		TBD	R624 1420	HT22810420-1	HT22810420-5
12077413	Metri Pack 280SLD	Female	3	12	TBD	R624 1420	HT22810420-1	HT22810420-5
15326266	GT 150SLD	Female	.35	22	TBD	R624 1422	HT11510422-1	HT11510422-5
15326266	GT 150SLD	Female	.50	20	TBD	R624 1422	HT11510422-1	HT11510422-5
12191298	GT 150	Female	.35	22	TBD	R624 1424	HT11500424-1	HT11500424-5
12191298	GT 150	Female	.50	20	TBD	R624 1424	HT11500424-1	HT11500424-5
12034046	Metri Pack 280	Female	.75		TBD	R624 1425	HT22800425-1	HT22800425-5
12034046	Metri Pack 280	Female	.50	20	TBD	R624 1425	HT22800425-1	HT22800425-5
12034046	Metri Pack 280	Female	1	16	TBD	R624 1425	HT22800425-1	HT22800425-5
15363933	Metri Pack 280 SLD	Male	1.5		TBD	R624 1426	HT22812426-1	HT22812426-5
15363933	Metri Pack 280 SLD	Male	1	16	TBD	R624 1426	HT22812426-1	HT22812426-5
15363933	Metri Pack 280 SLD	Male	2	14	TBD	R624 1426	HT22812426-1	HT22812426-5
10717964	Ducon 1.5SLD	Female	1.5		TBD	R624 1427	HT60012427-1	HT60012427-5
10717964	Ducon 1.5SLD	Female	2.5		TBD	R624 1427	HT60012427-1	HT60012427-5
10717964	Ducon 1.5SLD	Female	2	14	TBD	R624 1427	HT60012427-1	HT60012427-5
10724374	Ducon 1.5SLD	Male	1.5		TBD	R624 1427	HT60012427-1	HT60012427-5
10724374	Ducon 1.5SLD	Male	2.5		TBD	R624 1427	HT60012427-1	HT60012427-5
10724374	Ducon 1.5SLD	Male	2	14	TBD	R624 1427	HT60012427-1	HT60012427-5
12185008	Ducon 2.8SLD	Male	1.5		TBD	R624 1427	HT60012427-1	HT60012427-5
12185008	Ducon 2.8SLD	Male	2.5		TBD	R624 1427	HT60012427-1	HT60012427-5
12185008	Ducon 2.8SLD	Male	2	14	TBD	R624 1427	HT60012427-1	HT60012427-5
12185237	Ducon 2.8SLD	Male	1.5		TBD	R624 1427	HT60012427-1	HT60012427-5
12185237	Ducon 2.8SLD	Male	2.5		TBD	R624 1427	HT60012427-1	HT60012427-5
12185237	Ducon 2.8SLD	Male	2	14	TBD	R624 1427	HT60012427-1	HT60012427-5
12147474	Ducon 6.3SLD	Female	4		TBD	R624 1428	HT66312428-1	HT66312428-5
12147474	Ducon 6.3SLD	Female	6		TBD	R624 1428	HT66312428-1	HT66312428-5
15304720	GT 280SLD	Female	1.5		TBD	R624 1431	HT12812431-1	HT12812431-5
15304720	GT 280SLD	Female	2.5		TBD	R624 1431	HT12812431-1	HT12812431-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15304720	GT 280SLD	Female	2	14	TBD	R624 1431	HT12812431-1	HT12812431-5
15304720	GT 280SLD	Female	3	12	TBD	R624 1431	HT12812431-1	HT12812431-5
15304732	GT 280SLD	Male	1.5		TBD	R624 1431	HT12812431-1	HT12812431-5
15304732	GT 280SLD	Male	2.5		TBD	R624 1431	HT12812431-1	HT12812431-5
15304732	GT 280SLD	Male	2	14	TBD	R624 1431	HT12812431-1	HT12812431-5
15304732	GT 280SLD	Male	3	12	TBD	R624 1431	HT12812431-1	HT12812431-5
12110845	Metri Pack 280 Tangless SLD	Female	2.5		TBD	R624 1433	HT22810433-1	HT22810433-5
12110845	Metri Pack 280 Tangless SLD	Female	2	14	TBD	R624 1433	HT22810433-1	HT22810433-5
12110845	Metri Pack 280 Tangless SLD	Female	3	12	TBD	R624 1433	HT22810433-1	HT22810433-5
12129493	Metri Pack 280SLD	Female	2.5		TBD	R624 1433	HT22810433-1	HT22810433-5
12129493	Metri Pack 280SLD	Female	2	14	TBD	R624 1433	HT22810433-1	HT22810433-5
12129493	Metri Pack 280SLD	Female	3	12	TBD	R624 1433	HT22810433-1	HT22810433-5
12045773	Metri Pack 150SLD	Male	.75		TBD	R624 1435	HT21511435-1	HT21511435-5
12045773	Metri Pack 150SLD	Male	.50	20	TBD	R624 1435	HT21511435-1	HT21511435-5
12048254	Metri Pack 280SLD	Male	4		TBD	R624 1436	HT22811436-1	HT22811436-5
12048254	Metri Pack 280SLD	Male	3	12	TBD	R624 1436	HT22811436-1	HT22811436-5
12129497	Metri Pack 280SLD	Male	2.5		TBD	R624 1437	HT22811437-1	HT22811437-5
12129497	Metri Pack 280SLD	Male	2	14	TBD	R624 1437	HT22811437-1	HT22811437-5
12129497	Metri Pack 280SLD	Male	3	12	TBD	R624 1437	HT22811437-1	HT22811437-5
12077628	Metri Pack 150 SLD	Male	.35	22	TBD	R624 1439	HT21511439-1	HT21511439-5
12077628	Metri Pack 150 SLD	Male	.50	20	TBD	R624 1439	HT21511439-1	HT21511439-5
10724458	Ducon 9.5	Female	4		TBD	R624 1442	HT69500442-1	HT69500442-5
10724458	Ducon 9.5	Female	6		TBD	R624 1442	HT69500442-1	HT69500442-5
15423149	DHD 1.6	Female	1	16	13782640	R624 1447	HT51602447-1	HT51602447-5
15424450	DHD 1.6	Female	1	16	13782640	R624 1447	HT51602447-1	HT51602447-5
15424453	DHD 1.6	Female	.8	18	13782640	R624 1447	HT51602447-1	HT51602447-5
15424450	DHD 1.6	Female	.80	18	13782640	R624 1447	HT51602447-1	HT51602447-5
15424453	DHD 1.6	Male	1	16	13782640	R624 1447	HT51602447-1	HT51602447-5
15424453	DHD 1.6	Male	.80	18	13782640	R624 1447	HT51602447-1	HT51602447-5
12084912	Micro 100 W	Female	.75		TBD	R624 1448	HT42000448-1	HT42000448-5
12084912	Micro 100 W	Female	1	16	TBD	R624 1448	HT42000448-1	HT42000448-5
12084913	Micro 100 W	Female	.35	22	TBD	R624 1448	HT42000448-1	HT42000448-5
12084913	Micro 100 W	Female	.50	20	TBD	R624 1448	HT42000448-1	HT42000448-5
12124580	Weather Pack Sealed	Female	1	16	TBD	R624 1449	HT31012449-1	HT31012449-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12124581	Weather Pack Sealed	Female	2.5		TBD	R624 1449	HT31012449-1	HT31012449-5
10717508	Weather Pack Sealed	Male	1.5		TBD	R624 1451	HT31012451-1	HT31012451-5
10717508	Weather Pack Sealed	Male	2	14	TBD	R624 1451	HT31012451-1	HT31012451-5
10717508	Weather Pack Sealed	Male	2.5		TBD	R624 1451	HT31012451-1	HT31012451-5
10717510	Weather Pack Sealed	Female	1.5		TBD	R624 1451	HT31012451-1	HT31012451-5
10717510	Weather Pack Sealed	Female	2.5		TBD	R624 1451	HT31012451-1	HT31012451-5
10717510	Weather Pack Sealed	Female	2	14	TBD	R624 1451	HT31012451-1	HT31012451-5
12124580	Weather Pack Sealed	Female	1.5		TBD	R624 1451	HT31012451-1	HT31012451-5
12124580	Weather Pack Sealed	Female	1	16	TBD	R624 1451	HT31012451-1	HT31012451-5
12124580	Weather Pack Sealed	Female	2	14	TBD	R624 1451	HT31012451-1	HT31012451-5
12124582	Weather Pack Sealed	Male	1.5		TBD	R624 1451	HT31012451-1	HT31012451-5
12124582	Weather Pack Sealed	Male	1	16	TBD	R624 1451	HT31012451-1	HT31012451-5
12124582	Weather Pack Sealed	Male	2	14	TBD	R624 1451	HT31012451-1	HT31012451-5
12020801	Weather Pack Sealed	Female	.35	22	TBD	R624 1452	HT31012452-1	HT31012452-5
12034051	Weather Pack Sealed	Female	X		TBD	R624 1452	HT31012452-1	HT31012452-5
12089040	Weather Pack Sealed	Male	.75		TBD	R624 1452	HT31012452-1	HT31012452-5
12089040	Weather Pack Sealed	Male	.50	20	TBD	R624 1452	HT31012452-1	HT31012452-5
12089040	Weather Pack Sealed	Male	1	16	TBD	R624 1452	HT31012452-1	HT31012452-5
12089188	Weather Pack Sealed	Female	.75		TBD	R624 1452	HT31012452-1	HT31012452-5
12089188	Weather Pack Sealed	Female	.8	18	TBD	R624 1452	HT31012452-1	HT31012452-5
12089188	Weather Pack Sealed	Female	.50	20	TBD	R624 1452	HT31012452-1	HT31012452-5
12089188	Weather Pack Sealed	Female	1	16	TBD	R624 1452	HT31012452-1	HT31012452-5
12089307	Weather Pack Sealed	Female	.35	22	TBD	R624 1452	HT31012452-1	HT31012452-5
12131396	Ducon 0.8	Male	.75		TBD	R624 1453	HT60802453-1	HT60802453-5
12131396	Ducon 0.8	Male	.50	20	TBD	R624 1453	HT60802453-1	HT60802453-5
12131396	Ducon 0.8	Male	1	16	TBD	R624 1453	HT60802453-1	HT60802453-5
12131423	Ducon 0.8	Female	.75		TBD	R624 1453	HT60802453-1	HT60802453-5
12131423	Ducon 0.8	Female	.50	20	TBD	R624 1453	HT60802453-1	HT60802453-5
12131423	Ducon 0.8	Female	1	16	TBD	R624 1453	HT60802453-1	HT60802453-5
12064971	Metri Pack 150	Female	.35	22	TBD	R624 1454	HT21500454-1	HT21500454-5
12064971	Metri Pack 150	Female	.50	20	TBD	R624 1454	HT21500454-1	HT21500454-5
15317877	Metri Pack 150	Female	.35	22	TBD	R624 1454	HT21500454-1	HT21500454-5
15317877	Metri Pack 150	Female	.50	20	TBD	R624 1454	HT21500454-1	HT21500454-5
15317878	Metri Pack 150	Female	.75		TBD	R624 1454	HT21500454-1	HT21500454-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15317878	Metri Pack 150	Female	1	16	TBD	R624 1454	HT21500454-1	HT21500454-5
12048074	Metri Pack 150SLD	Female	.75		TBD	R624 1455	HT21510455-1	HT21510455-5
12048074	Metri Pack 150SLD	Female	1	16	TBD	R624 1455	HT21510455-1	HT21510455-5
12084200	Metri Pack 150SLD	Female	.35	22	TBD	R624 1455	HT21510455-1	HT21510455-5
12084200	Metri Pack 150SLD	Female	.50	20	TBD	R624 1455	HT21510455-1	HT21510455-5
15304718	GT 280SLD	Female	.35	22	TBD	R624 1456	HT12812456-1	HT12812456-5
15304718	GT 280SLD	Female	.50	20	TBD	R624 1456	HT12812456-1	HT12812456-5
15304719	GT 280SLD	Female	.75		TBD	R624 1456	HT12812456-1	HT12812456-5
15304719	GT 280SLD	Female	1	16	TBD	R624 1456	HT12812456-1	HT12812456-5
15304730	GT 280SLD	Male	.35	22	TBD	R624 1456	HT12812456-1	HT12812456-5
15304730	GT 280SLD	Male	.50	20	TBD	R624 1456	HT12812456-1	HT12812456-5
15304731	GT 280SLD	Male	.75		TBD	R624 1456	HT12812456-1	HT12812456-5
15304731	GT 280SLD	Male	1	16	TBD	R624 1456	HT12812456-1	HT12812456-5
15341541	MTS	Female	.35	22	TBD	R624 1457	HT43000457-1	HT43000457-5
15341541	MTS	Female	.50	20	TBD	R624 1457	HT43000457-1	HT43000457-5
15341542	MTS	Female	.75		TBD	R624 1457	HT43000457-1	HT43000457-5
15356826	Micro 64	Female	.35	22	TBD	R624 1458	HT46400458-1	HT46400458-5
15356826	Micro 64	Female	.50	20	TBD	R624 1458	HT46400458-1	HT46400458-5
15356827	Micro 64	Female	.75		TBD	R624 1458	HT46400458-1	HT46400458-5
12047581	Metri Pack 150	Male	.75		TBD	R624 1459	HT21501459-1	HT21501459-5
12047581	Metri Pack 150	Male	.50	20	TBD	R624 1459	HT21501459-1	HT21501459-5
12047581	Metri Pack 150	Male	1	16	TBD	R624 1459	HT21501459-1	HT21501459-5
12059894	Metri Pack 150	Male	.35	22	TBD	R624 1459	HT21501459-1	HT21501459-5
12059894	Metri Pack 150	Male	.50	20	TBD	R624 1459	HT21501459-1	HT21501459-5
12124075	Metri Pack 150(P2S)	Female	.75		TBD	R624 1460	HT21500460-1	HT21500460-5
12124075	Metri Pack 150(P2S)	Female	1	16	TBD	R624 1460	HT21500460-1	HT21500460-5
12124076	Metri Pack 150.2(P2S)	Female	.35	22	TBD	R624 1460	HT21500460-1	HT21500460-5
12124076	Metri Pack 150.2(P2S)	Female	.50	20	TBD	R624 1460	HT21500460-1	HT21500460-5
12089290	Metri Pack 150(P2S)	Female	.35	22	TBD	R624 1462	HT21500462-1	HT21500462-5
12089290	Metri Pack 150(P2S)	Female	.50	20	TBD	R624 1462	HT21500462-1	HT21500462-5
12103881	Metri Pack 150(P2S)	Female	.75		TBD	R624 1462	HT21500462-1	HT21500462-5
12103881	Metri Pack 150(P2S)	Female	1	16	TBD	R624 1462	HT21500462-1	HT21500462-5
12048159	Metri Pack 280SLD	Male	.75		TBD	R624 1463	HT22812463-1	HT22812463-5
12048159	Metri Pack 280SLD	Male	.50	20	TBD	R624 1463	HT22812463-1	HT22812463-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12077411	Metri Pack 280SLD	Female	.75		TBD	R624 1463	HT22812463-1	HT22812463-5
12077411	Metri Pack 280SLD	Female	.50	20	TBD	R624 1463	HT22812463-1	HT22812463-5
12084201	Metri Pack 280SLD	Female	.35	22	TBD	R624 1463	HT22812463-1	HT22812463-5
12084201	Metri Pack 280SLD	Female	.50	20	TBD	R624 1463	HT22812463-1	HT22812463-5
12124977	Metri Pack 280SLD	Male	.35	22	TBD	R624 1463	HT22812463-1	HT22812463-5
12124977	Metri Pack 280SLD	Male	.50	20	TBD	R624 1463	HT22812463-1	HT22812463-5
12020116	Metri Pack 280	Male	1.5		TBD	R624 1465	HT22801465-1	HT22801465-5
12020116	Metri Pack 280	Male	1	16	TBD	R624 1465	HT22801465-1	HT22801465-5
12020116	Metri Pack 280	Male	2	14	TBD	R624 1465	HT22801465-1	HT22801465-5
12048451	Metri Pack 480SLD	Female	1.5		TBD	R624 1466	HT24812466-1	HT24812466-5
12048451	Metri Pack 480SLD	Female	2.5		TBD	R624 1466	HT24812466-1	HT24812466-5
12048451	Metri Pack 480SLD	Female	1	16	TBD	R624 1466	HT24812466-1	HT24812466-5
12048451	Metri Pack 480SLD	Female	2	14	TBD	R624 1466	HT24812466-1	HT24812466-5
12065196	Metri Pack 480SLD	Male	1.5		TBD	R624 1466	HT24812466-1	HT24812466-5
12065196	Metri Pack 480SLD	Male	1	16	TBD	R624 1466	HT24812466-1	HT24812466-5
12065196	Metri Pack 480SLD	Male	2	14	TBD	R624 1466	HT24812466-1	HT24812466-5
12020120	Metri Pack 480	Male	1.5		TBD	R624 1467	HT24802467-1	HT24802467-5
12020392	Metri Pack 480	Male	1	16	TBD	R624 1467	HT24802467-1	HT24802467-5
12020120	Metri Pack 480	Male	1	16	TBD	R624 1467	HT24802467-1	HT24802467-5
12020120	Metri Pack 480	Male	2	14	TBD	R624 1467	HT24802467-1	HT24802467-5
12124304	Metri Pack 480	Female	1.5		TBD	R624 1467	HT24802467-1	HT24802467-5
12124304	Metri Pack 480	Female	1	16	TBD	R624 1467	HT24802467-1	HT24802467-5
12124304	Metri Pack 480	Female	2	14	TBD	R624 1467	HT24802467-1	HT24802467-5
12052456	Metri Pack 630SLD	Female	4		TBD	R624 1468	HT26312468-1	HT26312468-5
15305232	Metri Pack 630SLD	Female	3	12	TBD	R624 1468	HT26312468-1	HT26312468-5
12066560	Metri Pack 630SLD	Female	3	12	TBD	R624 1468	HT26312468-1	HT26312468-5
12052456	Metri Pack 630SLD	Female	3	12	TBD	R624 1468	HT26312468-1	HT26312468-5
12064736	Metri Pack 630SLD	Female	4		TBD	R624 1468	HT26312468-1	HT26312468-5
12064737	Metri Pack 630SLD	Female	3	12	TBD	R624 1468	HT26312468-1	HT26312468-5
12015870	Metri Pack 630	Female	1.5		TBD	R624 1469	HT26302469-1	HT26302469-5
12015870	Metri Pack 630	Female	1	16	TBD	R624 1469	HT26302469-1	HT26302469-5
12033982	Metri Pack 630	Female	1	16	TBD	R624 1469	HT26302469-1	HT26302469-5
12015839	Metri Pack 630	Female	1	16	TBD	R624 1469	HT26302469-1	HT26302469-5
12015870	Metri Pack 630	Female	2	14	TBD	R624 1469	HT26302469-1	HT26302469-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12052224	Metri Pack 630	Female	2.5		TBD	R624 1469	HT26302469-1	HT26302469-5
12052224	Metri Pack 630	Female	3	12	TBD	R624 1469	HT26302469-1	HT26302469-5
12052826	Metri Pack 630	Male	2.5		TBD	R624 1469	HT26302469-1	HT26302469-5
12052826	Metri Pack 630	Male	3	12	TBD	R624 1469	HT26302469-1	HT26302469-5
15304710	GT 280	Female	.50	20	TBD	R624 1471	HT12802471-1	HT12802471-5
15304711	GT 280	Female	.75		TBD	R624 1471	HT12802471-1	HT12802471-5
15304711	GT 280	Female	1	16	TBD	R624 1471	HT12802471-1	HT12802471-5
15304722	GT 280	Male	.35	22	TBD	R624 1471	HT12802471-1	HT12802471-5
15304722	GT 280	Male	.50	20	TBD	R624 1471	HT12802471-1	HT12802471-5
15304723	GT 280	Male	.75		TBD	R624 1471	HT12802471-1	HT12802471-5
15304723	GT 280	Male	1	16	TBD	R624 1471	HT12802471-1	HT12802471-5
15304712	GT 280	Female	1.5		TBD	R624 1472	HT12802472-1	HT12802472-5
15304712	GT 280	Female	2.5		TBD	R624 1472	HT12802472-1	HT12802472-5
15304712	GT 280	Female	2	14	TBD	R624 1472	HT12802472-1	HT12802472-5
15304712	GT 280	Female	3	12	TBD	R624 1472	HT12802472-1	HT12802472-5
15304724	GT 280	Male	1.5		TBD	R624 1472	HT12802472-1	HT12802472-5
15304724	GT 280	Male	2.5		TBD	R624 1472	HT12802472-1	HT12802472-5
15304724	GT 280	Male	2	14	TBD	R624 1472	HT12802472-1	HT12802472-5
15304724	GT 280	Male	3	12	TBD	R624 1472	HT12802472-1	HT12802472-5
12185236	Ducon 4.8SLD	Male	1.5		TBD	R624 1473	HT64812473-1	HT64812473-5
12185236	Ducon 4.8SLD	Male	2.5		TBD	R624 1473	HT64812473-1	HT64812473-5
12185236	Ducon 4.8SLD	Male	2	14	TBD	R624 1473	HT64812473-1	HT64812473-5
12185550	Ducon 4.8SLD	Female	1.5		TBD	R624 1473	HT64812473-1	HT64812473-5
12185550	Ducon 4.8SLD	Female	2.5		TBD	R624 1473	HT64812473-1	HT64812473-5
12185550	Ducon 4.8SLD	Female	2	14	TBD	R624 1473	HT64812473-1	HT64812473-5
12089305	Weather Pack Sealed	Female	1	16	13782641	R624 1476	HT31012476-1	HT31012476-5
12089305	Weather Pack Sealed	Male	1	16	13782641	R624 1476	HT31012476-1	HT31012476-5
12089305	Weather Pack Sealed	Female	2	14	13782641	R624 1476	HT31012476-1	HT31012476-5
12089305	Weather Pack Sealed	Male	2	14	13782641	R624 1476	HT31012476-1	HT31012476-5
12124580	Weather Pack Sealed	Female	1	16	13782641	R624 1476	HT31012476-1	HT31012476-5
12124580	Weather Pack Sealed	Male	1	16	13782641	R624 1476	HT31012476-1	HT31012476-5
12124580	Weather Pack Sealed	Female	2	14	13782641	R624 1476	HT31012476-1	HT31012476-5
12124580	Weather Pack Sealed	Male	2	14	13782641	R624 1476	HT31012476-1	HT31012476-5
12124581	Weather Pack Sealed	Female	3	12	13782641	R624 1476	HT31012476-1	HT31012476-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12124582	Weather Pack Sealed	Female	1	16	13782641	R624 1476	HT31012476-1	HT31012476-5
12124582	Weather Pack Sealed	Male	1	16	13782641	R624 1476	HT31012476-1	HT31012476-5
12124582	Weather Pack Sealed	Female	2	14	13782641	R624 1476	HT31012476-1	HT31012476-5
12124582	Weather Pack Sealed	Male	2	14	13782641	R624 1476	HT31012476-1	HT31012476-5
12124587	Weather Pack Sealed	Male	3	12	13782641	R624 1476	HT31012476-1	HT31012476-5
12124587	Weather Pack Sealed	Female	3	12	13782641	R624 1476	HT31012476-1	HT31012476-5
15359001	Micro Pack 100W	Female	.35	22	13782642	R624 1480	HT42000480-1	HT42000480-5
15359001	Micro Pack 100W	Female	.5	20	13782642	R624 1480	HT42000480-1	HT42000480-5
15359002	Micro Pack 100W	Female	.8	18	13782642	R624 1480	HT42000480-1	HT42000480-5
15359001	Micro-Pack	Female	.35	22	TBD	R624 1480	HT42000480-1	HT42000480-5
15359001	Micro-Pack	Female	.50	20	TBD	R624 1480	HT42000480-1	HT42000480-5
15359002	Micro-Pack	Female	.8	18	TBD	R624 1480	HT42000480-1	HT42000480-5
12020156	Metri Pack 630 P2S	Female	.5	20	13782643	R624 1481	HT26300481-1	HT26300481-5
12020156	Metri Pack 630 P2S	Female	.8	18	13782643	R624 1481	HT26300481-1	HT26300481-5
12066614	Metri Pack 630 P2S	Female	1	16	13782643	R624 1481	HT26300481-1	HT26300481-5
12066614	Metri Pack 630 P2S	Female	2	14	13782643	R624 1481	HT26300481-1	HT26300481-5
12966505	Metri Pack 630 P2S	Female	1	16	13782643	R624 1481	HT26300481-1	HT26300481-5
12966505	Metri Pack 630 P2S	Female	2	14	13782643	R624 1481	HT26300481-1	HT26300481-5
12020156	Metri Pack 630 P2S	Female	.50	20	13782643	R624 1481	HT26300481-1	HT26300481-5
12020156	Metri Pack 630 P2S	Female	.80	18	13782643	R624 1481	HT26300481-1	HT26300481-5
12052457	Metri Pack 630 Sealed	Female	.5	20	13782644	R624 1482	HT26312482-1	HT26312482-5
12052457	Metri Pack 630 Sealed	Female	.8	18	13782644	R624 1482	HT26312482-1	HT26312482-5
12064734	Metri Pack 630 Sealed	Male	.5	20	13782644	R624 1482	HT26312482-1	HT26312482-5
12064734	Metri Pack 630 Sealed	Male	.8	18	13782644	R624 1482	HT26312482-1	HT26312482-5
12176854	Metri Pack 630 P2S	Female	3	12	13782645	R624 1483	HT26300483-1	HT26300483-5
12033997	Metri Pack 630 P2S	Female	3	12	13782645	R624 1483	HT26300483-1	HT26300483-5
12176854	Metri Pack 630 P2S	Female	5	10	13782645	R624 1483	HT26300483-1	HT26300483-5
12052456	Metri Pack 630 Sealed	Female	3	12	13782646	R624 1484	HT26310484-1	HT26310484-5
12052456	Metri Pack 630 Sealed	Female	5	10	13782646	R624 1484	HT26310484-2	HT26310484-5
12064736	Metri Pack 630 Sealed	Male	5	10	13782646	R624 1484	HT26310484-3	HT26310484-5
12064737	Metri Pack 630 Sealed	Male	3	12	13782646	R624 1484	HT26310484-4	HT26310484-5
12066560	Metri Pack 630 Sealed	Female	3	12	13782646	R624 1484	HT26310484-5	HT26310484-5
12066560	Metri Pack 630 Sealed	Female	5	10	13782646	R624 1484	HT26310484-6	HT26310484-5
15305232	Metri Pack 630 Sealed	Female	3	12	13782646	R624 1484	HT26310484-7	HT26310484-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15305232	Metri Pack 630 Sealed	Female	5	10	13782646	R624 1484	HT26310484-8	HT26310484-5
15304710	GT 280 Unsealed	Female	.35	22	13782647	R624 1485	HT12802485-1	HT12802485-5
15304710	GT 280 Unsealed	Female	.5	20	13782647	R624 1485	HT12802485-1	HT12802485-5
15304711	GT 280 Unsealed	Female	.8	18	13782647	R624 1485	HT12802485-1	HT12802485-5
15304711	GT 280 Unsealed	Female	1	16	13782647	R624 1485	HT12802485-1	HT12802485-5
15304722	GT 280 Unsealed	Male	.35	22	13782647	R624 1485	HT12802485-1	HT12802485-5
15304722	GT 280 Unsealed	Male	.5	20	13782647	R624 1485	HT12802485-1	HT12802485-5
15304723	GT 280 Unsealed	Male	.8	18	13782647	R624 1485	HT12802485-1	HT12802485-5
15304723	GT 280 Unsealed	Male	1	16	13782647	R624 1485	HT12802485-1	HT12802485-5
15304718	GT 280 Sealed	Female	.35	22	13782648	R624 1486	HT12812486-1	HT12812486-5
15304718	GT 280 Sealed	Female	.5	20	13782648	R624 1486	HT12812486-1	HT12812486-5
15304719	GT 280 Sealed	Female	.8	18	13782648	R624 1486	HT12812486-1	HT12812486-5
15304719	GT 280 Sealed	Female	1	16	13782648	R624 1486	HT12812486-1	HT12812486-5
15304730	GT 280 Sealed	Male	.35	22	13782648	R624 1486	HT12812486-1	HT12812486-5
15304730	GT 280 Sealed	Male	.5	20	13782648	R624 1486	HT12812486-1	HT12812486-5
15304731	GT 280 Sealed	Male	.8	18	13782648	R624 1486	HT12812486-1	HT12812486-5
15304731	GT 280 Sealed	Male	1	16	13782648	R624 1486	HT12812486-1	HT12812486-5
12191812	GT 150 Unsealed	Female	.8	18	13782649	R624 1487	HT11502487-1	HT11502487-5
12191812	GT 150 Unsealed	Female	1	16	13782649	R624 1487	HT11502487-1	HT11502487-5
15304701	GT 150 Unsealed	Male	.35	22	13782649	R624 1487	HT11502487-1	HT11502487-5
15304701	GT 150 Unsealed	Male	.5	20	13782649	R624 1487	HT11502487-1	HT11502487-5
15304702	GT 150 Unsealed	Male	.8	18	13782649	R624 1487	HT11502487-1	HT11502487-5
15304702	GT 150 Unsealed	Male	1	16	13782649	R624 1487	HT11502487-1	HT11502487-5
15393149	GT 150 Unsealed	Male	.35	22	13782649	R624 1487	HT11502487-1	HT11502487-5
15393149	GT 150 Unsealed	Male	.5	20	13782649	R624 1487	HT11502487-1	HT11502487-5
15393150	GT 150 Unsealed	Female	.5	20	13782649	R624 1487	HT11502487-1	HT11502487-5
15496301	GT 150 Unsealed	Female	.5	20	13782649	R624 1487	HT11502487-1	HT11502487-5
15496302	GT 150 Unsealed	Female	.8	18	13782649	R624 1487	HT11502487-1	HT11502487-5
15496302	GT 150 Unsealed	Female	1	16	13782649	R624 1487	HT11502487-1	HT11502487-5
15497764	GT 150 Unsealed	Male	.8	18	13782649	R624 1487	HT11502487-1	HT11502487-5
15497764	GT 150 Unsealed	Male	1	16	13782649	R624 1487	HT11502487-1	HT11502487-5
12191811	GT 150 Unsealed	Female	.35	22	13782649	R624 1487	HT11502487-1	HT11502487-5
12191811	GT 150 Unsealed	Female	.50	20	13782649	R624 1487	HT11502487-1	HT11502487-5
15326266	GT 150 Sealed	Female	.35	22	13782650	R624 1488	HT11510488-1	HT11510488-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15326266	GT 150 Sealed	Female	.5	20	13782650	R624 1488	HT11510488-1	HT11510488-5
15326267	GT 150 Sealed	Female	.8	18	13782650	R624 1488	HT11510488-1	HT11510488-5
15423490	GT 150 Sealed	Female	.35	22	13782650	R624 1488	HT11510488-1	HT11510488-5
15423490	GT 150 Sealed	Female	.5	20	13782650	R624 1488	HT11510488-1	HT11510488-5
15482008	GT 150 Sealed	Female	.8	18	13782650	R624 1488	HT11510488-1	HT11510488-5
12191818	GT 150 Sealed	Female	.35	22	13782651	R624 1489	HT11512489-1	HT11512489-5
12191818	GT 150 Sealed	Female	.5	20	13782651	R624 1489	HT11512489-1	HT11512489-5
12191819	GT 150 Sealed	Female	.8	18	13782651	R624 1489	HT11512489-1	HT11512489-5
12191819	GT 150 Sealed	Female	1	16	13782651	R624 1489	HT11512489-1	HT11512489-5
13522325	GT 150 Sealed	Female	.35	22	13782651	R624 1489	HT11512489-1	HT11512489-5
13522325	GT 150 Sealed	Female	.5	20	13782651	R624 1489	HT11512489-1	HT11512489-5
15304707	GT 150 Sealed	Male	.8	18	13782651	R624 1489	HT11512489-1	HT11512489-5
15304707	GT 150 Sealed	Male	1	16	13782651	R624 1489	HT11512489-1	HT11512489-5
15326268	GT 150 Sealed	Male	.35	22	13782651	R624 1489	HT11512489-1	HT11512489-5
15326268	GT 150 Sealed	Male	.5	20	13782651	R624 1489	HT11512489-1	HT11512489-5
15326269	GT 150 Sealed	Male	.8	18	13782651	R624 1489	HT11512489-1	HT11512489-5
15326269	GT 150 Sealed	Male	1	16	13782651	R624 1489	HT11512489-1	HT11512489-5
15326426	GT 150 Sealed	Female	.35	22	13782651	R624 1489	HT11512489-1	HT11512489-5
15326426	GT 150 Sealed	Female	.5	20	13782651	R624 1489	HT11512489-1	HT11512489-5
15373402	GT 150 Sealed	Male	.35	22	13782651	R624 1489	HT11512489-1	HT11512489-5
15373402	GT 150 Sealed	Male	.5	20	13782651	R624 1489	HT11512489-1	HT11512489-5
15373403	GT 150 Sealed	Male	.8	18	13782651	R624 1489	HT11512489-1	HT11512489-5
15373403	GT 150 Sealed	Male	1	16	13782651	R624 1489	HT11512489-1	HT11512489-5
12089290	Metri Pack 150 P2S	Female	.35	22	13782652	R624 1490	HT21500490-1	HT21500490-5
12089290	Metri Pack 150 P2S	Female	.5	20	13782652	R624 1490	HT21500490-1	HT21500490-5
12103881	Metri Pack 150 P2S	Female	.8	18	13782652	R624 1490	HT21500490-1	HT21500490-5
12103881	Metri Pack 150 P2S	Female	1	16	13782652	R624 1490	HT21500490-1	HT21500490-5
12124075	Metri Pack 150 P2S	Female	.8	18	13782652	R624 1490	HT21500490-1	HT21500490-5
12124075	Metri Pack 150 P2S	Female	1	16	13782652	R624 1490	HT21500490-1	HT21500490-5
12124076	Metri Pack 150 P2S	Female	.35	22	13782652	R624 1490	HT21500490-1	HT21500490-5
12124076	Metri Pack 150 P2S	Female	.5	20	13782652	R624 1490	HT21500490-1	HT21500490-5
12152248	Metri Pack 150 P2S	Female	1	16	13782652	R624 1490	HT21500490-1	HT21500490-5
12161184	Metri Pack 150 P2S	Female	.8	18	13782652	R624 1490	HT21500490-1	HT21500490-5
12161184	Metri Pack 150 P2S	Female	1	16	13782652	R624 1490	HT21500490-1	HT21500490-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12162248	Metri Pack 150 P2S	Female	.8	18	13782652	R624 1490	HT21500490-1	HT21500490-5
12176860	Metri Pack 150 P2S	Female	.8	18	13782652	R624 1490	HT21500490-1	HT21500490-5
12176860	Metri Pack 150 P2S	Female	1	16	13782652	R624 1490	HT21500490-1	HT21500490-5
12191005	Metri Pack 150 P2S	Female	.5	20	13782652	R624 1490	HT21500490-1	HT21500490-5
12191054	Metri Pack 150 P2S	Female	.35	22	13782652	R624 1490	HT21500490-1	HT21500490-5
12191054	Metri Pack 150 P2S	Female	.5	20	13782652	R624 1490	HT21500490-1	HT21500490-5
12191055	Metri Pack 150 P2S	Female	.35	22	13782652	R624 1490	HT21500490-1	HT21500490-5
12191056	Metri Pack 150 P2S	Female	.8	18	13782652	R624 1490	HT21500490-1	HT21500490-5
12191056	Metri Pack 150 P2S	Female	1	16	13782652	R624 1490	HT21500490-1	HT21500490-5
15426815	MTS-B	Female	.35	22	13782653	R624 1491	HT43000491-1	HT43000491-5
15426815	MTS-B	Female	.5	20	13782653	R624 1491	HT43000491-1	HT43000491-5
15426817	MTS-B	Female	.8	18	13782653	R624 1491	HT43000491-1	HT43000491-5
15426818	MTS-B	Female	.8	18	13782653	R624 1491	HT43000491-1	HT43000491-5
15426816	MTS-B	Female	.35	22	13782653	R624 1491	HT43000491-1	HT43000491-5
15426816	MTS-B	Female	.50	20	13782653	R624 1491	HT43000491-1	HT43000491-5
15304720	GT 280 Sealed	Female	3	12	13782654	R624 1492	HT12812492-1	HT12812492-5
15304732	GT 280 Sealed	Male	3	12	13782654	R624 1492	HT12812492-1	HT12812492-5
15326004	GT 280 Sealed	Female	5	10	13782654	R624 1492	HT12812492-1	HT12812492-5
15392777	GT 280 Sealed	Female	5	10	13782654	R624 1492	HT12812492-1	HT12812492-5
15304712	GT 280 Unsealed	Female	2	14	13782655	R624 1493	HT12802493-1	HT12802493-5
15304713	GT 280 Unsealed	Female	5	10	13782655	R624 1493	HT12802493-1	HT12802493-5
15304724	GT 280 Unsealed	Male	2	14	13782655	R624 1493	HT12802493-1	HT12802493-5
15304725	GT 280 Unsealed	Male	5	10	13782655	R624 1493	HT12802493-1	HT12802493-5
15366612	GT 280 Unsealed	Female	5	10	13782655	R624 1493	HT12802493-1	HT12802493-5
15366613	GT 280 Unsealed	Female	2	14	13782655	R624 1493	HT12802493-1	HT12802493-5
12084200	Metri Pack 150 Sealed	Female	.35	22	13782656	R624 1494	HT21510494-1	HT21510494-5
12084200	Metri Pack 150 Sealed	Female	.5	20	13782656	R624 1494	HT21510494-1	HT21510494-5
12092697	Metri Pack 150 Sealed	Female	.35	22	13782656	R624 1494	HT21510494-1	HT21510494-5
12092697	Metri Pack 150 Sealed	Female	.5	20	13782656	R624 1494	HT21510494-1	HT21510494-5
12160222	Metri Pack 150 Sealed	Female	.35	22	13782656	R624 1494	HT21510494-1	HT21510494-5
12160222	Metri Pack 150 Sealed	Female	.5	20	13782656	R624 1494	HT21510494-1	HT21510494-5
12161184	Metri Pack 150 P2S	Female	.8	18	13782656	R624 1494	HT21510494-1	HT21510494-5
12161184	Metri Pack 150 P2S	Female	1	16	13782656	R624 1494	HT21510494-1	HT21510494-5
12176637	Metri Pack 150 Sealed	Female	.35	22	13782656	R624 1494	HT21510494-1	HT21510494-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12176637	Metri Pack 150 Sealed	Female	.5	20	13782656	R624 1494	HT21510494-1	HT21510494-5
12176890	Metri Pack 150 P2S	Female	.8	18	13782656	R624 1494	HT21510494-1	HT21510494-5
15326306	Metri Pack 150 Sealed	Female	.35	22	13782656	R624 1494	HT21510494-1	HT21510494-5
15326306	Metri Pack 150 Sealed	Female	.5	20	13782656	R624 1494	HT21510494-1	HT21510494-5
15326396	Metri Pack 150 Sealed	Female	.35	22	13782656	R624 1494	HT21510494-1	HT21510494-5
15326396	Metri Pack 150 Sealed	Female	.5	20	13782656	R624 1494	HT21510494-1	HT21510494-5
15326396	Metri Pack 150 Sealed	Female	.50	20	13782656	R624 1494	HT21510494-1	HT21510494-5
12191887	Metri Pack 150 Sealed	Male	.5	20	13782657	R624 1495	HT21511495-1	HT21511495-5
12177150	Metri Pack 150 Sealed	Male	.5	20	13782657	R624 1495	HT21511495-1	HT21511495-5
12092624	Metri Pack 150 Sealed	Male	.5	20	13782657	R624 1495	HT21511495-1	HT21511495-5
12045773	Metri Pack 150 Sealed	Male	.5	20	13782657	R624 1495	HT21511495-1	HT21511495-5
12045773	Metri Pack 150 Sealed	Male	.8	18	13782657	R624 1495	HT21511495-1	HT21511495-5
12045773	Metri Pack 150 Sealed	Male	1	16	13782657	R624 1495	HT21511495-1	HT21511495-5
12077628	Metri Pack 150 Sealed	Male	.35	22	13782657	R624 1495	HT21511495-1	HT21511495-5
12077628	Metri Pack 150 Sealed	Male	.5	20	13782657	R624 1495	HT21511495-1	HT21511495-5
12092624	Metri Pack 150 Sealed	Male	.8	18	13782657	R624 1495	HT21511495-1	HT21511495-5
12092624	Metri Pack 150 Sealed	Male	1	16	13782657	R624 1495	HT21511495-1	HT21511495-5
12092698	Metri Pack 150 Sealed	Male	.35	22	13782657	R624 1495	HT21511495-1	HT21511495-5
12092698	Metri Pack 150 Sealed	Male	.5	20	13782657	R624 1495	HT21511495-1	HT21511495-5
12177150	Metri Pack 150 Sealed	Male	.8	18	13782657	R624 1495	HT21511495-1	HT21511495-5
12177150	Metri Pack 150 Sealed	Male	1	16	13782657	R624 1495	HT21511495-1	HT21511495-5
12191887	Metri Pack 150 Sealed	Male	.8	18	13782657	R624 1495	HT21511495-1	HT21511495-5
12191887	Metri Pack 150 Sealed	Male	1	16	13782657	R624 1495	HT21511495-1	HT21511495-5
12191888	Metri Pack 150 Sealed	Male	.35	22	13782657	R624 1495	HT21511495-1	HT21511495-5
12191888	Metri Pack 150 Sealed	Male	.5	20	13782657	R624 1495	HT21511495-1	HT21511495-5
15359163	Metri Pack 150 Sealed	Male	.35	22	13782657	R624 1495	HT21511495-1	HT21511495-5
15359163	Metri Pack 150 Sealed	Male	.5	20	13782657	R624 1495	HT21511495-1	HT21511495-5
12064971	Metri Pack 150 Unsealed	Female	.35	22	13782658	R624 1496	HT21500496-1	HT21500496-5
12064971	Metri Pack 150 Unsealed	Female	.5	20	13782658	R624 1496	HT21500496-1	HT21500496-5
12129373	Metri Pack 150 Unsealed	Female	.35	22	13782658	R624 1496	HT21500496-1	HT21500496-5
12129373	Metri Pack 150 Unsealed	Female	.5	20	13782658	R624 1496	HT21500496-1	HT21500496-5
12129484	Metri Pack 150 Unsealed	Female	.8	18	13782658	R624 1496	HT21500496-1	HT21500496-5
12129484	Metri Pack 150 Unsealed	Female	1	16	13782658	R624 1496	HT21500496-1	HT21500496-5
13517879	Metri Pack 150 Unsealed	Female	.35	22	13782658	R624 1496	HT21500496-1	HT21500496-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
13525297	Metri Pack 150 Unsealed	Female	.35	22	13782658	R624 1496	HT21500496-1	HT21500496-5
13525297	Metri Pack 150 Unsealed	Female	.5	20	13782658	R624 1496	HT21500496-1	HT21500496-5
15317879	Metri Pack 150 Unsealed	Female	.5	20	13782658	R624 1496	HT21500496-1	HT21500496-5
12160811	Metri Pack 150 Unsealed	Male	.5	20	13782659	R624 1497	HT21501497-1	HT21501497-5
12110502	Metri Pack 150 Unsealed	Male	.5	20	13782659	R624 1497	HT21501497-1	HT21501497-5
12092621	Metri Pack 150 Unsealed	Male	.5	20	13782659	R624 1497	HT21501497-1	HT21501497-5
12047581	Metri Pack 150 Unsealed	Male	.5	20	13782659	R624 1497	HT21501497-1	HT21501497-5
12040993	Metri Pack 150 Unsealed	Male	.5	20	13782659	R624 1497	HT21501497-1	HT21501497-5
12040993	Metri Pack 150 Unsealed	Male	.8	18	13782659	R624 1497	HT21501497-1	HT21501497-5
12040993	Metri Pack 150 Unsealed	Male	1	16	13782659	R624 1497	HT21501497-1	HT21501497-5
12047581	Metri Pack 150 Unsealed	Male	.8	18	13782659	R624 1497	HT21501497-1	HT21501497-5
12047581	Metri Pack 150 Unsealed	Male	1	16	13782659	R624 1497	HT21501497-1	HT21501497-5
12092621	Metri Pack 150 Unsealed	Male	.8	18	13782659	R624 1497	HT21501497-1	HT21501497-5
12092621	Metri Pack 150 Unsealed	Male	1	16	13782659	R624 1497	HT21501497-1	HT21501497-5
12110502	Metri Pack 150 Unsealed	Male	.8	18	13782659	R624 1497	HT21501497-1	HT21501497-5
12110502	Metri Pack 150 Unsealed	Male	1	16	13782659	R624 1497	HT21501497-1	HT21501497-5
12160811	Metri Pack 150 Unsealed	Male	.8	18	13782659	R624 1497	HT21501497-1	HT21501497-5
12160811	Metri Pack 150 Unsealed	Male	1	16	13782659	R624 1497	HT21501497-1	HT21501497-5
12077413	Metri Pack 280 Sealed	Female	3	12	13782660	R624 1498	HT22810498-1	HT22810498-5
12077413	Metri Pack 280 Sealed	Female	5	10	13782660	R624 1498	HT22810498-1	HT22810498-5
12110853	Metri Pack 280 Sealed	Female	3	12	13782660	R624 1498	HT22810498-1	HT22810498-5
12110853	Metri Pack 280 Sealed	Female	5	10	13782660	R624 1498	HT22810498-1	HT22810498-5
12129493	Metri Pack 280 Sealed	Female	2	14	13782660	R624 1498	HT22810498-1	HT22810498-5
12129493	Metri Pack 280 Sealed	Female	3	12	13782660	R624 1498	HT22810498-1	HT22810498-5
12176300	Metri Pack 280 Sealed	Female	2	14	13782660	R624 1498	HT22810498-1	HT22810498-5
12176300	Metri Pack 280 Sealed	Female	3	12	13782660	R624 1498	HT22810498-1	HT22810498-5
12176387	Metri Pack 280 Sealed	Female	5	10	13782660	R624 1498	HT22810498-1	HT22810498-5
12176388	Metri Pack 280 Sealed	Female	2	14	13782660	R624 1498	HT22810498-1	HT22810498-5
12176388	Metri Pack 280 Sealed	Female	3	12	13782660	R624 1498	HT22810498-1	HT22810498-5
12077939	Metri Pack 280 P2S	Female	.5	20	13782661	R624 1499	HT22810499-1	HT22810499-5
12077939	Metri Pack 280 P2S	Female	.8	18	13782661	R624 1499	HT22810499-1	HT22810499-5
12077939	Metri Pack 280 P2S	Female	1	16	13782661	R624 1499	HT22810499-1	HT22810499-5
12110158	Metri Pack 280 P2S	Female	.5	20	13782661	R624 1499	HT22810499-1	HT22810499-5
12110158	Metri Pack 280 P2S	Female	.8	18	13782661	R624 1499	HT22810499-1	HT22810499-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12110158	Metri Pack 280 P2S	Female	1	16	13782661	R624 1499	HT22810499-1	HT22810499-5
12110845	Metri Pack 280 Sealed	Female	2	14	13782661	R624 1499	HT22810499-1	HT22810499-5
12110845	Metri Pack 280 Sealed	Female	3	12	13782661	R624 1499	HT22810499-1	HT22810499-5
12160248	Metri Pack 280 P2S	Female	.5	20	13782661	R624 1499	HT22810499-1	HT22810499-5
12160248	Metri Pack 280 P2S	Female	.8	18	13782661	R624 1499	HT22810499-1	HT22810499-5
12160248	Metri Pack 280 P2S	Female	1	16	13782661	R624 1499	HT22810499-1	HT22810499-5
12103360	Metri Pack 280 P2S	Female	.35	22	13782662	R624 1500	HT22800500-1	HT22800500-5
12103360	Metri Pack 280 P2S	Female	.5	20	13782662	R624 1500	HT22800500-1	HT22800500-5
12077411	Metri Pack 280 Sealed	Female	.5	20	13782663	R624 1501	HT22800500-1	HT22800500-5
12077411	Metri Pack 280 Sealed	Female	.8	18	13782663	R624 1501	HT22800500-1	HT22800500-5
12077411	Metri Pack 280 Sealed	Female	1	16	13782663	R624 1501	HT22800500-1	HT22800500-5
12176389	Metri Pack 280 Sealed	Female	.8	18	13782663	R624 1501	HT22800500-1	HT22800500-5
12176389	Metri Pack 280 Sealed	Female	1	16	13782663	R624 1501	HT22800500-1	HT22800500-5
12077411	Metri Pack 280 Sealed	Female	.35	22	13782663	R624 1501	HT22800500-1	HT22800500-5
12084201	Metri Pack 280 Sealed	Female	.35	22	13782664	R624 1502	HT22812502-1	HT22812502-5
12084201	Metri Pack 280 Sealed	Female	.5	20	13782664	R624 1502	HT22812502-1	HT22812502-5
12110847	Metri Pack 280 Sealed	Female	.8	18	13782664	R624 1502	HT22812502-1	HT22812502-5
12110847	Metri Pack 280 Sealed	Female	1	16	13782664	R624 1502	HT22812502-1	HT22812502-5
12176390	Metri Pack 280 Sealed	Female	.35	22	13782664	R624 1502	HT22812502-1	HT22812502-5
12176390	Metri Pack 280 Sealed	Female	.5	20	13782664	R624 1502	HT22812502-1	HT22812502-5
12124977	Metri Pack 280 Sealed	Male	.35	22	13782665	R624 1503	HT22811503-1	HT22811503-5
12124977	Metri Pack 280 Sealed	Male	.5	20	13782665	R624 1503	HT22811503-1	HT22811503-5
12129497	Metri Pack 280 Sealed	Male	2	14	13782665	R624 1503	HT22811503-1	HT22811503-5
12129497	Metri Pack 280 Sealed	Male	3	12	13782665	R624 1503	HT22811503-1	HT22811503-5
12020116	Metri Pack 280 Unsealed	Male	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
15310040	Metri Pack 280 Unsealed	Male	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
12020388	Metri Pack 280 Unsealed	Male	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
12020116	Metri Pack 280 Unsealed	Male	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
12020388	Metri Pack 280 Unsealed	Male	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
12066214	Metri Pack 280 Unsealed	Female	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
12066214	Metri Pack 280 Unsealed	Female	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
12103347	Metri Pack 280 Unsealed	Female	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
12103347	Metri Pack 280 Unsealed	Female	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
12129061	Metri Pack 280 Unsealed	Female	.35 (2 cables)	22	13782666	R624 1504	HT22802504-1	HT22802504-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12129424	Metri Pack 280 Unsealed	Female	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
12129424	Metri Pack 280 Unsealed	Female	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
12129663	Metri Pack 280 Unsealed	Female	3	12	13782666	R624 1504	HT22802504-1	HT22802504-5
12191479	Metri Pack 280 Unsealed	Female	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
12191479	Metri Pack 280 Unsealed	Female	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
15310040	Metri Pack 280 Unsealed	Male	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
15324339	Metri Pack 280 Unsealed	Female	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
15324339	Metri Pack 280 Unsealed	Female	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
15324341	Metri Pack 280 Unsealed	Female	3	12	13782666	R624 1504	HT22802504-1	HT22802504-5
15326543	Metri Pack 280 Unsealed	Female	1	16	13782666	R624 1504	HT22802504-1	HT22802504-5
15326543	Metri Pack 280 Unsealed	Female	2	14	13782666	R624 1504	HT22802504-1	HT22802504-5
12129061	Metri Pack 280 Unsealed	Female	.35	22	13782666	R624 1504	HT22802504-1	HT22802504-5
12110842	Metri Pack 280 Unsealed	Female	3	12	13782667	R624 1505	HT22800505-1	HT22800505-5
12124639	Metri Pack 280 Unsealed	Female	.5	20	13782667	R624 1505	HT22800505-1	HT22800505-5
12124639	Metri Pack 280 Unsealed	Female	.8	18	13782667	R624 1505	HT22800505-1	HT22800505-5
12162597	Metri Pack 280 Unsealed	Female	3	12	13782667	R624 1505	HT22800505-1	HT22800505-5
12162622	Metri Pack 280 Unsealed	Female	3	12	13782667	R624 1505	HT22800505-1	HT22800505-5
12015823	Metri Pack 280 Unsealed	Female	.8	18	13782668	R624 1506	HT22802506-1	HT22802506-5
12015823	Metri Pack 280 Unsealed	Female	1	16	13782668	R624 1506	HT22802506-1	HT22802506-5
12020389	Metri Pack 280 Unsealed	Male	.5	20	13782668	R624 1506	HT22802506-1	HT22802506-5
12020389	Metri Pack 280 Unsealed	Male	.8	18	13782668	R624 1506	HT22802506-1	HT22802506-5
12020389	Metri Pack 280 Unsealed	Male	1	16	13782668	R624 1506	HT22802506-1	HT22802506-5
12092696	Metri Pack 280 Unsealed	Female	.8	18	13782668	R624 1506	HT22802506-1	HT22802506-5
12059147	Metri Pack 280 Unsealed	Female	.8	18	13782668	R624 1506	HT22802506-1	HT22802506-5
12034046	Metri Pack 280 Unsealed	Female	.8	18	13782668	R624 1506	HT22802506-1	HT22802506-5
12034046	Metri Pack 280 Unsealed	Female	1	16	13782668	R624 1506	HT22802506-1	HT22802506-5
12124085	Metri Pack 280 Unsealed	Male	.5	20	13782668	R624 1506	HT22802506-1	HT22802506-5
12034047	Metri Pack 280 Unsealed	Male	.5	20	13782668	R624 1506	HT22802506-1	HT22802506-5
12034047	Metri Pack 280 Unsealed	Male	.8	18	13782668	R624 1506	HT22802506-1	HT22802506-5
12034047	Metri Pack 280 Unsealed	Male	1	16	13782668	R624 1506	HT22802506-1	HT22802506-5
12059147	Metri Pack 280 Unsealed	Female	1	16	13782668	R624 1506	HT22802506-1	HT22802506-5
12092696	Metri Pack 280 Unsealed	Female	1	16	13782668	R624 1506	HT22802506-1	HT22802506-5
12124085	Metri Pack 280 Unsealed	Male	.8	18	13782668	R624 1506	HT22802506-1	HT22802506-5
12124085	Metri Pack 280 Unsealed	Male	1	16	13782668	R624 1506	HT22802506-1	HT22802506-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12110843	Metri Pack 280 Unsealed	Female	.35	22	13782669	R624 1507	HT22802507-1	HT22802507-5
12110843	Metri Pack 280 Unsealed	Female	.5	20	13782669	R624 1507	HT22802507-1	HT22802507-5
12129498	Metri Pack 280 Unsealed	Male	2	14	13782669	R624 1507	HT22802507-1	HT22802507-5
12129498	Metri Pack 280 Unsealed	Male	3	12	13782669	R624 1507	HT22802507-1	HT22802507-5
12162596	Metri Pack 280 Unsealed	Female	.35	22	13782669	R624 1507	HT22802507-1	HT22802507-5
12162596	Metri Pack 280 Unsealed	Female	.5	20	13782669	R624 1507	HT22802507-1	HT22802507-5
12162621	Metri Pack 280 Unsealed	Female	.35	22	13782669	R624 1507	HT22802507-1	HT22802507-5
12162621	Metri Pack 280 Unsealed	Female	.5	20	13782669	R624 1507	HT22802507-1	HT22802507-5
15359183	Metri Pack 280 Unsealed	Female	.35	22	13782669	R624 1507	HT22802507-1	HT22802507-5
15359183	Metri Pack 280 Unsealed	Female	.5	20	13782669	R624 1507	HT22802507-1	HT22802507-5
15484100	Metri Pack 280 Unsealed	Female	.35	22	13782669	R624 1507	HT22802507-1	HT22802507-5
15484100	Metri Pack 280 Unsealed	Female	.5	20	13782669	R624 1507	HT22802507-1	HT22802507-5
12052217	Metri Pack 280 Unsealed	Female	.35	22	13782670	R624 1508	HT22802508-1	HT22802508-5
12052217	Metri Pack 280 Unsealed	Female	.5	20	13782670	R624 1508	HT22802508-1	HT22802508-5
12066271	Metri Pack 280 Unsealed	Male	.35	22	13782670	R624 1508	HT22802508-1	HT22802508-5
12066271	Metri Pack 280 Unsealed	Male	.5	20	13782670	R624 1508	HT22802508-1	HT22802508-5
12110844	Metri Pack 280 Unsealed	Female	.8	18	13782670	R624 1508	HT22802508-1	HT22802508-5
12110844	Metri Pack 280 Unsealed	Female	1	16	13782670	R624 1508	HT22802508-1	HT22802508-5
12129422	Metri Pack 280 Unsealed	Female	.35	22	13782670	R624 1508	HT22802508-1	HT22802508-5
12129422	Metri Pack 280 Unsealed	Female	.5	20	13782670	R624 1508	HT22802508-1	HT22802508-5
12162595	Metri Pack 280 Unsealed	Female	.8	18	13782670	R624 1508	HT22802508-1	HT22802508-5
12162595	Metri Pack 280 Unsealed	Female	1	16	13782670	R624 1508	HT22802508-1	HT22802508-5
12162620	Metri Pack 280 Unsealed	Female	.8	18	13782670	R624 1508	HT22802508-1	HT22802508-5
12162620	Metri Pack 280 Unsealed	Female	1	16	13782670	R624 1508	HT22802508-1	HT22802508-5
12176667	Metri Pack 280 Unsealed	Female	.8	18	13782670	R624 1508	HT22802508-1	HT22802508-5
12176667	Metri Pack 280 Unsealed	Female	1	16	13782670	R624 1508	HT22802508-1	HT22802508-5
15318039	Metri Pack 280 Unsealed	Male	.35	22	13782670	R624 1508	HT22802508-1	HT22802508-5
15318039	Metri Pack 280 Unsealed	Male	.5	20	13782670	R624 1508	HT22802508-1	HT22802508-5
15479524	Metri Pack 280 Unsealed	Female	.8	18	13782670	R624 1508	HT22802508-1	HT22802508-5
15479524	Metri Pack 280 Unsealed	Female	1	16	13782670	R624 1508	HT22802508-1	HT22802508-5
12020035	Metri Pack 630 Unsealed	Female	.50 (2 cables)	20	13782671	R624 1509	HT26302509-1	HT26302509-5
12020035	Metri Pack 630 Unsealed	Female	.80 (2 cables)	18	13782671	R624 1509	HT26302509-1	HT26302509-5
12084596	Metri Pack 630 Unsealed	Female	2.00 (2 cables)	14	13782671	R624 1509	HT26302509-1	HT26302509-5
12084596	Metri Pack 630 Unsealed	Female	3.00 (2 cables)	12	13782671	R624 1509	HT26302509-1	HT26302509-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12020365	Metri Pack 630 Unsealed	Male	3 (2 cables)	12	13782671	R624 1509	HT26302509-1	HT26302509-5
12015839	Metri Pack 630 Unsealed	Female	1	16	13782672	R624 1510	HT26302510-1	HT26302510-5
12015839	Metri Pack 630 Unsealed	Female	2	14	13782672	R624 1510	HT26302510-1	HT26302510-5
12033982	Metri Pack 630 Unsealed	Female	1	16	13782672	R624 1510	HT26302510-1	HT26302510-5
12015870	Metri Pack 630 Unsealed	Female	1	16	13782672	R624 1510	HT26302510-1	HT26302510-5
12015865	Metri Pack 630 Unsealed	Female	1	16	13782672	R624 1510	HT26302510-1	HT26302510-5
12015865	Metri Pack 630 Unsealed	Female	2	14	13782672	R624 1510	HT26302510-1	HT26302510-5
12015870	Metri Pack 630 Unsealed	Female	2	14	13782672	R624 1510	HT26302510-1	HT26302510-5
12020126	Metri Pack 630 Unsealed	Male	1	16	13782672	R624 1510	HT26302510-1	HT26302510-5
12020126	Metri Pack 630 Unsealed	Male	2	14	13782672	R624 1510	HT26302510-1	HT26302510-5
12020390	Metri Pack 630 Unsealed	Male	1	16	13782672	R624 1510	HT26302510-1	HT26302510-5
12020390	Metri Pack 630 Unsealed	Male	2	14	13782672	R624 1510	HT26302510-1	HT26302510-5
12033982	Metri Pack 630 Unsealed	Female	2	14	13782672	R624 1510	HT26302510-1	HT26302510-5
12052224	Metri Pack 630 Unsealed	Female	3	12	13782672	R624 1510	HT26302510-1	HT26302510-5
12052826	Metri Pack 630 Unsealed	Male	3	12	13782672	R624 1510	HT26302510-1	HT26302510-5
12015837	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015837	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12015838	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015838	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12015839	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015839	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12092584	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015874	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015869	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015864	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015864	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12015865	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015865	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12033982	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015870	Metri Pack 630 Unsealed	Female	.5	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12015869	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12015870	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12015874	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12020365	Metri Pack 630 Unsealed	Male	3.00 (2 cables)	12	13782673	R624 1511	HT26300511-1	HT26300511-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12033982	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12092584	Metri Pack 630 Unsealed	Female	.8	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12020035	Metri Pack 630 Unsealed	Female	.50 (2 cables)	20	13782673	R624 1511	HT26300511-1	HT26300511-5
12020035	Metri Pack 630 Unsealed	Female	.80 (2 cables)	18	13782673	R624 1511	HT26300511-1	HT26300511-5
12020391	Metri Pack 630 Unsealed	Male	.8	18	13782674	R624 1512	HT26302512-1	HT26302512-5
12020125	Metri Pack 630 Unsealed	Male	.8	18	13782674	R624 1512	HT26302512-1	HT26302512-5
12020125	Metri Pack 630 Unsealed	Male	1	16	13782674	R624 1512	HT26302512-1	HT26302512-5
12020391	Metri Pack 630 Unsealed	Male	1	16	13782674	R624 1512	HT26302512-1	HT26302512-5
12052222	Metri Pack 630 Unsealed	Female	.35	22	13782674	R624 1512	HT26302512-1	HT26302512-5
12052222	Metri Pack 630 Unsealed	Female	.5	20	13782674	R624 1512	HT26302512-1	HT26302512-5
12052225	Metri Pack 630 Unsealed	Female	.35	22	13782674	R624 1512	HT26302512-1	HT26302512-5
12066268	Metri Pack 630 Unsealed	Female	.35	22	13782674	R624 1512	HT26302512-1	HT26302512-5
12066275	Metri Pack 630 Unsealed	Female	.35	22	13782674	R624 1512	HT26302512-1	HT26302512-5
12066276	Metri Pack 630 Unsealed	Female	.5	20	13782674	R624 1512	HT26302512-1	HT26302512-5
12066454	Metri Pack 630 Unsealed	Male	.35	22	13782674	R624 1512	HT26302512-1	HT26302512-5
12066454	Metri Pack 630 Unsealed	Male	.5	20	13782674	R624 1512	HT26302512-1	HT26302512-5
12048159	Metri Pack 280 Sealed	Male	.5	20	13782675	R624 1513	HT22812513-1	HT22812513-5
12048159	Metri Pack 280 Sealed	Male	.8	18	13782675	R624 1513	HT22812513-1	HT22812513-5
12048159	Metri Pack 280 Sealed	Male	1	16	13782675	R624 1513	HT22812513-1	HT22812513-5
12052455	Metri Pack 630 Sealed	Female	1	16	13782676	R624 1515	HT26312515-1	HT26312515-5
12052455	Metri Pack 630 Sealed	Female	2	14	13782676	R624 1515	HT26312515-1	HT26312515-5
12064735	Metri Pack 630 Sealed	Male	1	16	13782676	R624 1515	HT26312515-1	HT26312515-5
12064735	Metri Pack 630 Sealed	Male	2	14	13782676	R624 1515	HT26312515-1	HT26312515-5
12066559	Metri Pack 630 Sealed	Female	1	16	13782676	R624 1515	HT26312515-1	HT26312515-5
12066559	Metri Pack 630 Sealed	Female	2	14	13782676	R624 1515	HT26312515-1	HT26312515-5
12048450	Metri Pack 480 Sealed	Female	.5	20	13782677	R624 1516	HT24810516-1	HT24810516-5
12048450	Metri Pack 480 Sealed	Female	.8	18	13782677	R624 1516	HT24810516-1	HT24810516-5
12048451	Metri Pack 480 Sealed	Female	1	16	13782677	R624 1516	HT24810516-1	HT24810516-5
12048451	Metri Pack 480 Sealed	Female	2	14	13782677	R624 1516	HT24810516-1	HT24810516-5
12065196	Metri Pack 480 Sealed	Male	.8	18	13782678	R624 1517	HT24811517-1	HT24811517-5
12065196	Metri Pack 480 Sealed	Male	1	16	13782678	R624 1517	HT24811517-1	HT24811517-5
12065196	Metri Pack 480 Sealed	Male	2	14	13782678	R624 1517	HT24811517-1	HT24811517-5
12052172	Metri Pack 480 Sealed	Male	5	10	13782679	R624 1518	HT24811518-1	HT24811518-5
12065197	Metri Pack 480 Sealed	Male	3	12	13782679	R624 1518	HT24811518-1	HT24811518-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15332185	Metri Pack 480 Sealed	Female	5	10	13782679	R624 1518	HT24811518-1	HT24811518-5
12020120	Metri Pack 480 Unsealed	Male	1	16	13782680	R624 1519	HT24802519-1	HT24802519-5
12020120	Metri Pack 480 Unsealed	Male	2	14	13782680	R624 1519	HT24802519-1	HT24802519-5
12020392	Metri Pack 480 Unsealed	Male	1	16	13782680	R624 1519	HT24802519-1	HT24802519-5
12020392	Metri Pack 480 Unsealed	Male	2	14	13782680	R624 1519	HT24802519-1	HT24802519-5
12052221	Metri Pack 480 Unsealed	Female	3	12	13782680	R624 1519	HT24802519-1	HT24802519-5
12052827	Metri Pack 480 Unsealed	Male	3	12	13782680	R624 1519	HT24802519-1	HT24802519-5
12059243	Metri Pack 480 Unsealed	Female	3	12	13782680	R624 1519	HT24802519-1	HT24802519-5
12124304	Metri Pack 480 Unsealed	Female	1	16	13782680	R624 1519	HT24802519-1	HT24802519-5
12124304	Metri Pack 480 Unsealed	Female	2	14	13782680	R624 1519	HT24802519-1	HT24802519-5
12020119	Metri Pack 480 Unsealed	Male	1	16	13782680	R624 1519	HT24802519-1	HT24802519-5
12020366	Metri Pack 480 Unsealed	Female	.50 & 1.00 (2 cables)	20	13782681	R624 1520	HT24800520-1	HT24800520-5
12124026	Metri Pack 480 Unsealed	Female	.80 (2 cables)	18	13782681	R624 1520	HT24800520-1	HT24800520-5
12124026	Metri Pack 480 Unsealed	Female	1.00 (2 cables)	16	13782681	R624 1520	HT24800520-1	HT24800520-5
12124057	Metri Pack 480 Unsealed	Female	.80 (2 cables)	18	13782681	R624 1520	HT24800520-1	HT24800520-5
12124057	Metri Pack 480 Unsealed	Female	1.00 (2 cables)	16	13782681	R624 1520	HT24800520-1	HT24800520-5
12052219	Metri Pack 480 Unsealed	Female	.35	22	13782682	R624 1521	HT24802521-1	HT24802521-5
12052219	Metri Pack 480 Unsealed	Female	.5	20	13782682	R624 1521	HT24802521-1	HT24802521-5
12066267	Metri Pack 480 Unsealed	Female	.35	22	13782682	R624 1521	HT24802521-1	HT24802521-5
12066267	Metri Pack 480 Unsealed	Female	.5	20	13782682	R624 1521	HT24802521-1	HT24802521-5
12066269	Metri Pack 480 Unsealed	Male	.35	22	13782682	R624 1521	HT24802521-1	HT24802521-5
12066269	Metri Pack 480 Unsealed	Male	.5	20	13782682	R624 1521	HT24802521-1	HT24802521-5
15336111	Metri Pack 480 Unsealed	Female	.35	22	13782682	R624 1521	HT24802521-1	HT24802521-5
15336111	Metri Pack 480 Unsealed	Female	.5	20	13782682	R624 1521	HT24802521-1	HT24802521-5
12048074	Metri Pack 150 Sealed	Female	.5	20	13782683	R624 1527	HT21510527-1	HT21510527-5
12048074	Metri Pack 150 Sealed	Female	.8	18	13782683	R624 1527	HT21510527-1	HT21510527-5
12092622	Metri Pack 150 Sealed	Female	.8	18	13782683	R624 1527	HT21510527-1	HT21510527-5
12092622	Metri Pack 150 Sealed	Female	1	16	13782683	R624 1527	HT21510527-1	HT21510527-5
12092667	Metri Pack 150 Sealed	Female	.8	18	13782683	R624 1527	HT21510527-1	HT21510527-5
12092667	Metri Pack 150 Sealed	Female	1	16	13782683	R624 1527	HT21510527-1	HT21510527-5
12160223	Metri Pack 150 Sealed	Female	.8	18	13782683	R624 1527	HT21510527-1	HT21510527-5
12160223	Metri Pack 150 Sealed	Female	1	16	13782683	R624 1527	HT21510527-1	HT21510527-5
12176636	Metri Pack 150 Sealed	Female	.8	18	13782683	R624 1527	HT21510527-1	HT21510527-5
12176636	Metri Pack 150 Sealed	Female	1	16	13782683	R624 1527	HT21510527-1	HT21510527-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15326225	Metri Pack 150 Sealed	Female	.8	18	13782683	R624 1527	HT21510527-1	HT21510527-5
15326225	Metri Pack 150 Sealed	Female	1	16	13782683	R624 1527	HT21510527-1	HT21510527-5
15366078	Metri Pack 150 Sealed	Female	.8	18	13782683	R624 1527	HT21510527-1	HT21510527-5
15366078	Metri Pack 150 Sealed	Female	1	16	13782683	R624 1527	HT21510527-1	HT21510527-5
12020801	Weather Pack Sealed	Female	.35	22	13782684	R624 1528	HT31012528-1	HT31012528-5
12089040	Weather Pack Sealed	Male	.5	20	13782684	R624 1528	HT31012528-1	HT31012528-5
12089040	Weather Pack Sealed	Male	.8	18	13782684	R624 1528	HT31012528-1	HT31012528-5
12089108	Weather Pack Sealed	Female	.5	20	13782684	R624 1528	HT31012528-1	HT31012528-5
12089108	Weather Pack Sealed	Female	.8	18	13782684	R624 1528	HT31012528-1	HT31012528-5
12089188	Weather Pack Sealed	Male	.5	20	13782684	R624 1528	HT31012528-1	HT31012528-5
12089188	Weather Pack Sealed	Female	.5	20	13782684	R624 1528	HT31012528-1	HT31012528-5
12089188	Weather Pack Sealed	Male	.8	18	13782684	R624 1528	HT31012528-1	HT31012528-5
12089307	Weather Pack Sealed	Male	.35	22	13782684	R624 1528	HT31012528-1	HT31012528-5
12191506	Weather Pack Sealed	Male	.5	20	13782684	R624 1528	HT31012528-1	HT31012528-5
12191506	Weather Pack Sealed	Male	.8	18	13782684	R624 1528	HT31012528-1	HT31012528-5
12191586	Weather Pack Sealed	Female	.5	20	13782684	R624 1528	HT31012528-1	HT31012528-5
12191586	Weather Pack Sealed	Female	.8	18	13782684	R624 1528	HT31012528-1	HT31012528-5
12191587	Weather Pack Sealed	Male	.5	20	13782684	R624 1528	HT31012528-1	HT31012528-5
12191587	Weather Pack Sealed	Female	.5	20	13782684	R624 1528	HT31012528-1	HT31012528-5
12191587	Weather Pack Sealed	Male	.8	18	13782684	R624 1528	HT31012528-1	HT31012528-5
12191587	Weather Pack Sealed	Female	.8	18	13782684	R624 1528	HT31012528-1	HT31012528-5
12089188	Weather Pack Sealed	Female	.80	18	13782684	R624 1528	HT31012528-1	HT31012528-5
12048254	Metri Pack 280 Sealed	Male	3	12	13782685	R624 1529	HT22812529-1	HT22812529-5
12048254	Metri Pack 280 Sealed	Male	5	10	13782685	R624 1529	HT22812529-1	HT22812529-5
12110846	Metri Pack 280 Sealed	Female	.35	22	13782685	R624 1529	HT22812529-1	HT22812529-5
12110846	Metri Pack 280 Sealed	Female	.5	20	13782685	R624 1529	HT22812529-1	HT22812529-5
12129409	Metri Pack 280 Sealed	Female	1	16	13782685	R624 1529	HT22812529-1	HT22812529-5
12129409	Metri Pack 280 Sealed	Female	2	14	13782685	R624 1529	HT22812529-1	HT22812529-5
12047767	Metri Pack 150 Unsealed	Female	.5	20	13782686	R624 1530	HT21500530-1	HT21500530-5
12047767	Metri Pack 150 Unsealed	Female	.8	18	13782686	R624 1530	HT21500530-1	HT21500530-5
12047767	Metri Pack 150 Unsealed	Female	1	16	13782686	R624 1530	HT21500530-1	HT21500530-5
12092623	Metri Pack 150 Unsealed	Female	.5	20	13782686	R624 1530	HT21500530-1	HT21500530-5
12092623	Metri Pack 150 Unsealed	Female	.8	18	13782686	R624 1530	HT21500530-1	HT21500530-5
12092623	Metri Pack 150 Unsealed	Female	1	16	13782686	R624 1530	HT21500530-1	HT21500530-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
13518011	Metri Pack 150 Unsealed	Female	.5	20	13782686	R624 1530	HT21500530-1	HT21500530-5
13518011	Metri Pack 150 Unsealed	Female	.8	18	13782686	R624 1530	HT21500530-1	HT21500530-5
13518011	Metri Pack 150 Unsealed	Female	1	16	13782686	R624 1530	HT21500530-1	HT21500530-5
15326030	Metri Pack 150 Unsealed	Female	.5	20	13782686	R624 1530	HT21500530-1	HT21500530-5
15326030	Metri Pack 150 Unsealed	Female	.8	18	13782686	R624 1530	HT21500530-1	HT21500530-5
15326030	Metri Pack 150 Unsealed	Female	1	16	13782686	R624 1530	HT21500530-1	HT21500530-5
12059293	Metri Pack 480 Unsealed	Female	.5	20	13782687	R624 1531	HT24802531-1	HT24802531-5
12034426	Metri Pack 480 Unsealed	Female	.5	20	13782687	R624 1531	HT24802531-1	HT24802531-5
12034132	Metri Pack 480 Unsealed	Female	.5	20	13782687	R624 1531	HT24802531-1	HT24802531-5
12015860	Metri Pack 480 Unsealed	Female	.5	20	13782687	R624 1531	HT24802531-1	HT24802531-5
12015860	Metri Pack 480 Unsealed	Female	.8	18	13782687	R624 1531	HT24802531-1	HT24802531-5
12020393	Metri Pack 480 Unsealed	Male	.5	20	13782687	R624 1531	HT24802531-1	HT24802531-5
12020119	Metri Pack 480 Unsealed	Male	.5	20	13782687	R624 1531	HT24802531-1	HT24802531-5
12020119	Metri Pack 480 Unsealed	Male	.8	18	13782687	R624 1531	HT24802531-1	HT24802531-5
12020119	Metri Pack 480 Unsealed	Male	1	16	13782687	R624 1531	HT24802531-1	HT24802531-5
12020393	Metri Pack 480 Unsealed	Male	.8	18	13782687	R624 1531	HT24802531-1	HT24802531-5
12020393	Metri Pack 480 Unsealed	Male	1	16	13782687	R624 1531	HT24802531-1	HT24802531-5
12034132	Metri Pack 480 Unsealed	Female	.8	18	13782687	R624 1531	HT24802531-1	HT24802531-5
12034426	Metri Pack 480 Unsealed	Female	.8	18	13782687	R624 1531	HT24802531-1	HT24802531-5
12059293	Metri Pack 480 Unsealed	Female	.8	18	13782687	R624 1531	HT24802531-1	HT24802531-5
12040902	Mirco Pack 100 Unsealed	Male	.35	22	13782688	R624 1532	HT41002532-1	HT41002532-5
12040902	Mirco Pack 100 Unsealed	Male	.5	20	13782688	R624 1532	HT41002532-1	HT41002532-5
12146447	Mirco Pack 100 Unsealed	Female	.35	22	13782688	R624 1532	HT41002532-1	HT41002532-5
12146447	Mirco Pack 100 Unsealed	Female	.5	20	13782688	R624 1532	HT41002532-1	HT41002532-5
12146448	Mirco Pack 100 Unsealed	Female	.8	18	13782688	R624 1532	HT41002532-1	HT41002532-5
12146448	Mirco Pack 100 Unsealed	Female	1	16	13782688	R624 1532	HT41002532-1	HT41002532-5
12084449	Mirco Pack 100 Unsealed	Male	.5	20	13782689	R624 1533	HT41001533-1	HT41001533-5
12084449	Mirco Pack 100 Unsealed	Male	.8	18	13782689	R624 1533	HT41001533-1	HT41001533-5
12084912	Micro Pack 100W	Female	.8	18	13782690	R624 1534	HT42000534-1	HT42000534-5
12084913	Micro Pack 100W	Female	.35	22	13782690	R624 1534	HT42000534-1	HT42000534-5
12084913	Micro Pack 100W	Female	.5	20	13782690	R624 1534	HT42000534-1	HT42000534-5
15424449	DHD 1.6	Female	.35	22	13782691	R624 1535	HT51602535-1	HT51602535-5
15424449	DHD 1.6	Female	.5	20	13782691	R624 1535	HT51602535-1	HT51602535-5
15424452	DHD 1.6	Male	.35	22	13782691	R624 1535	HT51602535-1	HT51602535-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15424452	DHD 1.6	Male	.5	20	13782691	R624 1535	HT51602535-1	HT51602535-5
15424453	DHD 1.6	Male	.8	18	13782691	R624 1535	HT51602535-1	HT51602535-5
15424453	DHD 1.6	Male	1	16	13782691	R624 1535	HT51602535-1	HT51602535-5
15424450	DHD 1.6	Female	.8	18	13782692	R624 1536	HT51602536-1	HT51602536-5
15424450	DHD 1.6	Female	1	16	13782692	R624 1536	HT51602536-1	HT51602536-5
15424451	DHD 1.6	Female	2	14	13782692	R624 1536	HT51602536-1	HT51602536-5
15424451	DHD 1.6	Female	3	12	13782692	R624 1536	HT51602536-1	HT51602536-5
15424454	DHD 1.6	Male	2	14	13782692	R624 1536	HT51602536-1	HT51602536-5
15424454	DHD 1.6	Male	3	12	13782692	R624 1536	HT51602536-1	HT51602536-5
12052139	Metri Pack 480 Sealed	Female	3	12	13782693	R624 1537	HT24810537-1	HT24810537-5
12052139	Metri Pack 480 Sealed	Female	5	10	13782693	R624 1537	HT24810537-1	HT24810537-5
15332185	Metri Pack 480 Sealed	Female	5	10	13782693	R624 1537	HT24810537-1	HT24810537-5
13551420	100V DHD 20	Female	.35	22	13782694	R624 1538	HT52000538-1	HT52000538-5
13551420	100V DHD 20	Female	.5	20	13782694	R624 1538	HT52000538-1	HT52000538-5
15489000	100V DHD 20	Female	.8	18	13782694	R624 1538	HT52000538-1	HT52000538-5
15489000	100V DHD 20	Female	1	16	13782694	R624 1538	HT52000538-1	HT52000538-5
15435885	100W Sealed	Female	.35	22	13782696	R624 1540	HT42010540-1	HT42010540-5
15435885	100W Sealed	Female	.5	20	13782696	R624 1540	HT42010540-1	HT42010540-5
15435886	100W Sealed	Female	.35	22	13782696	R624 1540	HT42010540-1	HT42010540-5
15435886	100W Sealed	Female	.5	20	13782696	R624 1540	HT42010540-1	HT42010540-5
12160552	100W Sealed	Male	.35	22	13782697	R624 1541	HT42011541-1	HT42011541-5
12160552	100W Sealed	Male	.5	20	13782697	R624 1541	HT42011541-1	HT42011541-5
12129750	100W Sealed	Female	.8	18	13782698	R624 1542	HT42010542-1	HT42010542-5
12146034	100W Sealed	Female	.35	22	13782698	R624 1542	HT42010542-1	HT42010542-5
12146034	100W Sealed	Female	.5	20	13782698	R624 1542	HT42010542-1	HT42010542-5
15317923	100W Sealed	Female	.8	18	13782699	R624 1543	HT42010543-1	HT42010543-5
15317924	100W Sealed	Female	.35	22	13782699	R624 1543	HT42010543-1	HT42010543-5
15317924	100W Sealed	Female	.5	20	13782699	R624 1543	HT42010543-1	HT42010543-5
12160551	100W Sealed	Male	.5	20	13782700	R624 1544	HT42011544-1	HT42011544-5
12160551	100W Sealed	Male	.8	18	13782700	R624 1544	HT42011544-1	HT42011544-5
15256827	Micro 6 Unsealed Barrel	Female	.5	20	13782701	R624 1545	HT46400545-1	HT46400545-5
15256827	Micro 6 Unsealed Barrel	Female	.8	18	13782701	R624 1545	HT46400545-1	HT46400545-5
15329541	Micro 6 Unsealed Barrel	Female	.5	20	13782701	R624 1545	HT46400545-1	HT46400545-5
15356027	Micro 6 Unsealed Barrel	Female	.5	20	13782701	R624 1545	HT46400545-1	HT46400545-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
15356027	Micro 6 Unsealed Barrel	Female	.8	18	13782701	R624 1545	HT46400545-1	HT46400545-5
15356926	Micro 6 Unsealed Barrel	Female	.35	22	13782701	R624 1545	HT46400545-1	HT46400545-5
15356826	Micro 6 Unsealed Barrel	Female	.35	22	13782701	R624 1545	HT46400545-1	HT46400545-5
15359541	Micro 6 Unsealed Barrel	Female	.5	20	13782701	R624 1545	HT46400545-1	HT46400545-5
15359541	Micro 6 Unsealed Barrel	Female	.8	18	13782701	R624 1545	HT46400545-1	HT46400545-5
15394147	Micro 6 Unsealed Barrel	Female	.35	22	13782701	R624 1545	HT46400545-1	HT46400545-5
15401440	Micro 6 Unsealed Barrel	Female	.5	20	13782701	R624 1545	HT46400545-1	HT46400545-5
15401440	Micro 6 Unsealed Barrel	Female	.8	18	13782701	R624 1545	HT46400545-1	HT46400545-5
15410620	Micro 6 Unsealed Barrel	Female	.35	22	13782701	R624 1545	HT46400545-1	HT46400545-5
15410621	Micro 6 Unsealed Barrel	Female	.5	20	13782701	R624 1545	HT46400545-1	HT46400545-5
15410621	Micro 6 Unsealed Barrel	Female	.8	18	13782701	R624 1545	HT46400545-1	HT46400545-5
15410628	Micro 6 Unsealed Barrel	Female	.35	22	13782701	R624 1545	HT46400545-1	HT46400545-5
PE075702	Micro 6 Unsealed Barrel	Female	.5	20	13782701	R624 1545	HT46400545-1	HT46400545-5
PE075702	Micro 6 Unsealed Barrel	Female	.8	18	13782701	R624 1545	HT46400545-1	HT46400545-5
PE075782	Micro 6 Unsealed Barrel	Female	.5	20	13782701	R624 1545	HT46400545-1	HT46400545-5
PE075782	Micro 6 Unsealed Barrel	Female	.8	18	13782701	R624 1545	HT46400545-1	HT46400545-5
13697408	HES 1.6 Thin Wall	Male	.5	20	13853877	R624 1597	HT51601597-1	HT51601597-5
13697408	HES 1.6 Thin Wall	Male	.8	18	13853877	R624 1597	HT51601597-1	HT51601597-5
13697409	HES 1.6 Thin Wall	Male	1.0	16	13853877	R624 1597	HT51601597-1	HT51601597-5
13697410	HES 1.6 Thin Wall	Male	2.0	14	13853877	R624 1597	HT51601597-1	HT51601597-5
13697411	HES 1.6 Thin Wall	Male	.5	20	13853877	R624 1597	HT51601597-1	HT51601597-5
13697411	HES 1.6 Thin Wall	Male	.8	18	13853877	R624 1597	HT51601597-1	HT51601597-5
13697412	HES 1.6 Thin Wall	Male	1.0	16	13853877	R624 1597	HT51601597-1	HT51601597-5
13697413	HES 1.6 Thin Wall	Male	2.0	14	13853877	R624 1597	HT51601597-1	HT51601597-5
13697414	HES 1.6 Thin Wall	Female	.5	20	13853877	R624 1597	HT51601597-1	HT51601597-5
13697414	HES 1.6 Thin Wall	Female	.8	18	13853877	R624 1597	HT51601597-1	HT51601597-5
13697415	HES 1.6 Thin Wall	Female	1.0	16	13853877	R624 1597	HT51601597-1	HT51601597-5
13697416	HES 1.6 Thin Wall	Female	2.0	14	13853877	R624 1597	HT51601597-1	HT51601597-5
13697417	HES 1.6 Thin Wall	Female	.5	20	13853877	R624 1597	HT51601597-1	HT51601597-5
13697417	HES 1.6 Thin Wall	Female	.8	18	13853877	R624 1597	HT51601597-1	HT51601597-5
13697418	HES 1.6 Thin Wall	Female	1.0	16	13853877	R624 1597	HT51601597-1	HT51601597-5
13697419	HES 1.6 Thin Wall	Female	2.0	14	13853877	R624 1597	HT51601597-1	HT51601597-5
13663715	HES 1.6 Regular Wall	Male	.5	20	13860274	R624 1598	HT51601598-1	HT51601598-5
13663715	HES 1.6 Regular Wall	Male	.8	18	13860274	R624 1598	HT51601598-1	HT51601598-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
13663716	HES 1.6 Regular Wall	Male	1.0	16	13860274	R624 1598	HT51601598-1	HT51601598-5
13663717	HES 1.6 Regular Wall	Male	2.0	14	13860274	R624 1598	HT51601598-1	HT51601598-5
13663718	HES 1.6 Regular Wall	Female	.5	20	13860274	R624 1598	HT51601598-1	HT51601598-5
13663718	HES 1.6 Regular Wall	Female	.8	18	13860274	R624 1598	HT51601598-1	HT51601598-5
13663719	HES 1.6 Regular Wall	Female	1.0	16	13860274	R624 1598	HT51601598-1	HT51601598-5
13663720	HES 1.6 Regular Wall	Female	2.0	14	13860274	R624 1598	HT51601598-1	HT51601598-5
13690835	HES 1.6 Regular Wall	Female	.8	18	13860274	R624 1598	HT51601598-1	HT51601598-5
13690836	HES 1.6 Regular Wall	Female	1.0	16	13860274	R624 1598	HT51601598-1	HT51601598-5
13690837	HES 1.6 Regular Wall	Female	2.0	14	13860274	R624 1598	HT51601598-1	HT51601598-5
13690838	HES 1.6 Regular Wall	Male	.5	20	13860274	R624 1598	HT51601598-1	HT51601598-5
13690838	HES 1.6 Regular Wall	Male	.8	18	13860274	R624 1598	HT51601598-1	HT51601598-5
13690839	HES 1.6 Regular Wall	Male	1.0	16	13860274	R624 1598	HT51601598-1	HT51601598-5
13690840	HES 1.6 Regular Wall	Male	2.0	14	13860274	R624 1598	HT51601598-1	HT51601598-5
13690853	HES 1.6 Regular Wall	Female	.5	20	13860274	R624 1598	HT51601598-1	HT51601598-5
13711542	HES 1.0 Thin Wall	Male	.35	22	13882808	R624 1599	HT51001599-1	HT51001599-5
13711542	HES 1.0 Thin Wall	Male	.5	20	13882808	R624 1599	HT51001599-1	HT51001599-5
13711543	HES 1.0 Thin Wall	Male	.35	22	13882808	R624 1599	HT51001599-1	HT51001599-5
13711543	HES 1.0 Thin Wall	Male	.5	20	13882808	R624 1599	HT51001599-1	HT51001599-5
13711544	HES 1.0 Thin Wall	Male	.8	18	13882808	R624 1599	HT51001599-1	HT51001599-5
13711544	HES 1.0 Thin Wall	Male	1	16	13882808	R624 1599	HT51001599-1	HT51001599-5
13711545	HES 1.0 Thin Wall	Male	.8	18	13882808	R624 1599	HT51001599-1	HT51001599-5
13711545	HES 1.0 Thin Wall	Male	1	16	13882808	R624 1599	HT51001599-1	HT51001599-5
13711546	HES 1.0 Thin Wall	Female	.35	22	13882808	R624 1599	HT51001599-1	HT51001599-5
13711546	HES 1.0 Thin Wall	Female	.5	20	13882808	R624 1599	HT51001599-1	HT51001599-5
13711547	HES 1.0 Thin Wall	Female	.35	22	13882808	R624 1599	HT51001599-1	HT51001599-5
13711547	HES 1.0 Thin Wall	Female	.5	20	13882808	R624 1599	HT51001599-1	HT51001599-5
13711548	HES 1.0 Thin Wall	Female	.8	18	13882808	R624 1599	HT51001599-1	HT51001599-5
13711548	HES 1.0 Thin Wall	Female	1	16	13882808	R624 1599	HT51001599-1	HT51001599-5
13711549	HES 1.0 Thin Wall	Female	.8	18	13882808	R624 1599	HT51001599-1	HT51001599-5
13711549	HES 1.0 Thin Wall	Female	1	16	13882808	R624 1599	HT51001599-1	HT51001599-5
13654421	HES 1.0 Regular Wall	Female	.35	22	13882809	R624 1600	HT51001600-1	HT51001600-5
13654421	HES 1.0 Regular Wall	Female	.5	20	13882809	R624 1600	HT51001600-1	HT51001600-5
13654422	HES 1.0 Regular Wall	Female	.35	22	13882809	R624 1600	HT51001600-1	HT51001600-5
13654422	HES 1.0 Regular Wall	Female	.5	20	13882809	R624 1600	HT51001600-1	HT51001600-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
13654423	HES 1.0 Regular Wall	Male	.35	22	13882809	R624 1600	HT51001600-1	HT51001600-5
13654423	HES 1.0 Regular Wall	Male	.5	20	13882809	R624 1600	HT51001600-1	HT51001600-5
13654424	HES 1.0 Regular Wall	Male	.35	22	13882809	R624 1600	HT51001600-1	HT51001600-5
13654424	HES 1.0 Regular Wall	Male	.5	20	13882809	R624 1600	HT51001600-1	HT51001600-5
13663723	HES 1.0 Regular Wall	Male	.8	18	13882809	R624 1600	HT51001600-1	HT51001600-5
13663723	HES 1.0 Regular Wall	Male	1	16	13882809	R624 1600	HT51001600-1	HT51001600-5
13663724	HES 1.0 Regular Wall	Male	.8	18	13882809	R624 1600	HT51001600-1	HT51001600-5
13663724	HES 1.0 Regular Wall	Male	1	16	13882809	R624 1600	HT51001600-1	HT51001600-5
13663727	HES 1.0 Regular Wall	Female	.8	18	13882809	R624 1600	HT51001600-1	HT51001600-5
13663727	HES 1.0 Regular Wall	Female	1	16	13882809	R624 1600	HT51001600-1	HT51001600-5
13663728	HES 1.0 Regular Wall	Female	.8	18	13882809	R624 1600	HT51001600-1	HT51001600-5
13663728	HES 1.0 Regular Wall	Female	1	16	13882809	R624 1600	HT51001600-1	HT51001600-5
1366717	HES 1.6 Heavy Wall	Male	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
1366717	HES 1.6 Regular Wall	Male	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
1369410	HES 1.6 Thin Wall	Male	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13663720	HES 1.6 Heavy Wall	Female	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13663720	HES 1.6 Regular Wall	Female	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13690837	HES 1.6 Heavy Wall	Female	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13690837	HES 1.6 Regular Wall	Female	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13690840	HES 1.6 Heavy Wall	Male	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13690840	HES 1.6 Regular Wall	Male	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13697413	HES 1.6 Thin Wall	Male	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13697416	HES 1.6 Thin Wall	Female	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
13697419	HES 1.6 Thin Wall	Female	3	-	13895391	R624 1601	HT51601598-1	HT51601598-5
15471370	GT 150 Sealed	Female	.8	18	13915393	R624 1602	HT62401602-1	HT62401602-5
15471370	GT 150 Sealed	Female	1.0	16	13915393	R624 1602	HT62401602-1	HT62401602-5
13783263	HES 2.4 Thin Wall	Male	.75 - 1.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783265	HES 2.4 Thin Wall	Male	1.50 - 2.50	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783267	HES 2.4 Thin Wall	Male	2.00 - 3.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783269	HES 2.4 Thin Wall	Male	4.00 - 6.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783273	HES 2.4 Thin Wall	Male	.75 - 1.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783277	HES 2.4 Thin Wall	Male	1.50 - 2.50	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783282	HES 2.4 Thin Wall	Male	2.00 - 3.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783284	HES 2.4 Thin Wall	Male	4.00 - 6.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
13783287	HES 2.4 Thin Wall	Female	.75 - 1.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783289	HES 2.4 Thin Wall	Female	1.50 - 2.50	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783291	HES 2.4 Thin Wall	Female	2.00 - 3.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783293	HES 2.4 Thin Wall	Female	4.00 - 6.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783295	HES 2.4 Thin Wall	Female	.75 - 1.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783297	HES 2.4 Thin Wall	Female	1.50 - 2.50	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783299	HES 2.4 Thin Wall	Female	2.00 - 3.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783301	HES 2.4 Thin Wall	Female	4.00 - 6.00	-	13926172	R624 1603	HT52401603-1	HT52401603-5
13783264	HES 2.4 Regular Wall	Male	.75 - 1.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783266	HES 2.4 Regular Wall	Male	1.50 - 2.50	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783268	HES 2.4 Regular Wall	Male	2.00 - 3.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783269	HES 2.4 Regular Wall	Male	4.00 - 6.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783276	HES 2.4 Regular Wall	Male	.75 - 1.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783280	HES 2.4 Regular Wall	Male	1.50 - 2.50	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783283	HES 2.4 Regular Wall	Male	2.00 - 3.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783284	HES 2.4 Regular Wall	Male	4.00 - 6.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783288	HES 2.4 Regular Wall	Female	.75 - 1.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783290	HES 2.4 Regular Wall	Female	1.50 - 2.50	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783292	HES 2.4 Regular Wall	Female	2.00 - 3.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783293	HES 2.4 Regular Wall	Female	4.00 - 6.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783296	HES 2.4 Regular Wall	Female	.75 - 1.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783298	HES 2.4 Regular Wall	Female	1.50 - 2.50	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783300	HES 2.4 Regular Wall	Female	2.00 - 3.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13783301	HES 2.4 Regular Wall	Female	4.00 - 6.00	-	13926169	R624 1604	HT52401604-1	HT52401604-5
13601869	JST AIT 064 F. Terminal	Female	0.5	20	13782720	R624 363	HT62400363-1	HT62400363-5
13601869	JST AIT 064 F. Terminal	Female	0.35	22	13782720	R624 363	HT62400363-1	HT62400363-5
15465970	Molex MX64 F	Female	0.5	20	13782720	R624 363	HT62400363-1	HT62400363-5
15465970	Molex MX64 F	Female	0.8	18	13782720	R624 363	HT62400363-1	HT62400363-5
15491255	Molex MX64 F	Female	0.5	20	13782720	R624 363	HT62400363-1	HT62400363-5
15491255	Molex MX64 F	Female	0.8	18	13782720	R624 363	HT62400363-1	HT62400363-5
13576729	Molex MX64 F	Female	0.5	20	13782720	R624 363	HT62400363-1	HT62400363-5
13576729	Molex MX64 F	Female	0.8	18	13782720	R624 363	HT62400363-1	HT62400363-5
13576745	Molex MX64 F	Female	0.5	20	13782720	R624 363	HT62400363-1	HT62400363-5
13576745	Molex MX64 F	Female	0.8	18	13782720	R624 363	HT62400363-1	HT62400363-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
13543114	Mirco HVT 1.2 Sealed	Female	0.35 - 0.5	22-20	13782705	R624 1576	HT49010576-1	HT49010576-5
13543115	Mirco HVT 1.2 Sealed	Female	0.8	18	13782705	R624 1576	HT49010576-1	HT49010576-5
13543117	Mirco HVT 1.2 Sealed	Female	0.35 - 0.5	22-20	13782705	R624 1576	HT49010576-1	HT49010576-5
13543118	Mirco HVT 1.2 Sealed	Female	0.8	18	13782705	R624 1576	HT49010576-1	HT49010576-5
13543116	Mirco HVT 1.2 Sealed	Female	0.8 - 1	18 - 16	13782706	R624 1577	HT49010577-1	HT49010577-5
13543119	Mirco HVT 1.2 Sealed	Female	0.8 - 1	18 - 16	13782706	R624 1577	HT49010577-1	HT49010577-5
13767043	OCS 0.64 IDR Thin Wall	Female	0.8	18	13932558	R624 1605	HT62416053-1	HT62416053-5
13767044	OCS 0.64 IDR Thin Wall	Female	0.5	20	13932558	R624 1605	HT62416053-1	HT62416053-5
13767044	OCS 0.64 IDR Thin Wall	Female	0.35	22	13932558	R624 1605	HT62416053-1	HT62416053-5
13767045	OCS 0.64 IDR Thin Wall	Female	0.13	26	13932558	R624 1605	HT62416053-1	HT62416053-5
13767046	OCS 0.64 IUR Thin Wall	Female	0.8	18	13932558	R624 1605	HT62416053-1	HT62416053-5
13767047	OCS 0.64 IUR Thin Wall	Female	0.5	20	13932558	R624 1605	HT62416053-1	HT62416053-5
13767047	OCS 0.64 IUR Thin Wall	Female	0.35	22	13932558	R624 1605	HT62416053-1	HT62416053-5
13767048	OCS 0.64 IUR Thin Wall	Female	0.13	26	13932558	R624 1605	HT62416053-1	HT62416053-5
13726148	OCS 0.64 ISM Thin Wall	Female	0.8	18	13932558	R624 1605	HT62416053-1	HT62416053-5
13726147	OCS 0.64 ISM Thin Wall	Female	0.5	20	13932558	R624 1605	HT62416053-1	HT62416053-5
13726147	OCS 0.64 ISM Thin Wall	Female	0.35	22	13932558	R624 1605	HT62416053-1	HT62416053-5
13726146	OCS 0.64 ISM Thin Wall	Female	0.13	26	13932558	R624 1605	HT62416053-1	HT62416053-5
13627884	Mirco HVT 1.2 Sealed	Female	0.35 - 0.5	22-20	13782705	R624 1576	HT49010576-1	HT49010576-5
13627886	Mirco HVT 1.2 Sealed	Female	0.8	18	13782705	R624 1576	HT49010576-1	HT49010576-5
13627887	Mirco HVT 1.2 Sealed	Female	0.8 - 1	18 - 16	13782706	R624 1577	HT49010577-1	HT49010577-5
13675577	Power Pack 1000	Male	8	-	33109579	R632 009	HTPP632009-1	HTPP632009-5
13675583	Power Pack 1000	Inline	8	-	33109579	R632 009	HTPP632009-1	HTPP632009-5
13675587	Power Pack 1000	Right Angle	8	-	33109579	R632 009	HTPP632009-1	HTPP632009-5
13675573	Power Pack 1000	Inline	8	-	31109579	R632 009	HTPP632009-1	HTPP632009-5
13675578	Power Pack 1000	Male	13	-	33109580	R632 010	HTPP632010-1	HTPP632010-5
13675584	Power Pack 1000	Inline	13	-	33109580	R632 010	HTPP632010-1	HTPP632010-5
13675589	Power Pack 1000	Right Angle	13	-	33109580	R632 010	HTPP632010-1	HTPP632010-5
13675574	Power Pack 1000	Male	13	-	33109580	R632 010	HTPP632010-1	HTPP632010-5
13675578	Power Pack 1000	Male	16	-	33109581	R632 011	HTPP632011-1	HTPP632011-5
13675584	Power Pack 1000	Inline	16	-	33109581	R632 011	HTPP632011-1	HTPP632011-5
13675589	Power Pack 1000	Right Angle	16	-	33109581	R632 011	HTPP632011-1	HTPP632011-5
13675574	Power Pack 1000	Male	16	-	33109581	R632 011	HTPP632011-1	HTPP632011-5
13675579	Power Pack 1000	Male	19	-	33109582	R632 012	HTPP632012-1	HTPP632012-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
13675585	Power Pack 1000	Inline	19	-	33109582	R632 012	HTPP632012-1	HTPP632012-5
13675590	Power Pack 1000	Right Angle	19	-	33109582	R632 012	HTPP632012-1	HTPP632012-5
13675575	Power Pack 1000	Male	19	-	33109582	R632 012	HTPP632012-1	HTPP632012-5
13675579	Power Pack 1000	Male	25	-	33109583	R632 013	HTPP632013-1	HTPP632013-5
13675585	Power Pack 1000	Inline	25	-	33109583	R632 013	HTPP632013-1	HTPP632013-5
13675590	Power Pack 1000	Right Angle	25	-	33109583	R632 013	HTPP632013-1	HTPP632013-5
13675575	Power Pack 1000	Inline	25	-	33109583	R632 013	HTPP632013-1	HTPP632013-5
12103502	Ring Terminal ID8 Reg/Thin Wall	-	5	-	33164485	R632 014	HT632014PS-1	HT632014PS-5
12103501	Ring Terminal ID8 Reg/Thin Wall	-	5	-	33164485	R632 014	HT632014PS-1	HT632014PS-5
12103965	Ring Terminal ID8 Reg/Thin Wall	-	5	-	33164485	R632 014	HT632014PS-1	HT632014PS-5
12103502	Ring Terminal ID8 Std/Heavy Wall	-	5	-	33164486	R632 015	HT632015PS-1	HT632015PS-5
12103501	Ring Terminal ID8 Std/Heavy Wall	-	5	-	33164486	R632 015	HT632015PS-1	HT632015PS-5
12103965	Ring Terminal ID8 Std/Heavy Wall	-	5	-	33164486	R632 015	HT632015PS-1	HT632015PS-5
12103502	Ring Terminal ID8 Reg/Thin Wall	-	8	-	33164487	R632 016	HT632016PS-1	HT632016PS-5
12103501	Ring Terminal ID8 Reg/Thin Wall	-	8	-	33164487	R632 016	HT632016PS-1	HT632016PS-5
12103965	Ring Terminal ID8 Reg/Thin Wall	-	8	-	33164487	R632 016	HT632016PS-1	HT632016PS-5
12103502	Ring Terminal ID8 Std/Heavy Wall	-	8	-	33164488	R632 017	HT632017PS-1	HT632017PS-5
12103501	Ring Terminal ID8 Std/Heavy Wall	-	8	-	33164488	R632 017	HT632017PS-1	HT632017PS-5
12103965	Ring Terminal ID8 Std/Heavy Wall	-	8	-	33164488	R632 017	HT632017PS-1	HT632017PS-5
12103503	Ring Terminal ID8 Std/Heavy Wall	-	2	-	33164489	R632 018	HT632018PS-1	HT632018PS-5
12103504	Ring Terminal ID8 Std/Heavy Wall	-	2	-	33164489	R632 018	HT632018PS-1	HT632018PS-5
12162098	Ring Terminal ID8 Std/Heavy Wall	-	2	-	33164489	R632 018	HT632018PS-1	HT632018PS-5
12103517	Ring Terminal ID8 Std/Heavy Wall	-	2	-	33164489	R632 018	HT632018PS-1	HT632018PS-5
12103518	Ring Terminal ID8 Std/Heavy Wall	-	2	-	33164489	R632 018	HT632018PS-1	HT632018PS-5
12103503	Ring Terminal ID8 Std/Heavy Wall	-	3	-	33164490	R632 019	HT632019PS-1	HT632019PS-5
12103504	Ring Terminal ID8 Std/Heavy Wall	-	3	-	33164490	R632 019	HT632019PS-1	HT632019PS-5
12162098	Ring Terminal ID8 Std/Heavy Wall	-	3	-	33164490	R632 019	HT632019PS-1	HT632019PS-5
12103517	Ring Terminal ID8 Std/Heavy Wall	-	3	-	33164490	R632 019	HT632019PS-1	HT632019PS-5
12103512	Ring Terminal ID8 Std/Heavy Wall	-	3	-	33164490	R632 019	HT632019PS-1	HT632019PS-5
12103518	Ring Terminal ID8 Std/Heavy Wall	-	3	-	33164490	R632 019	HT632019PS-1	HT632019PS-5
12103503	Ring Terminal ID8 Std/Heavy Wall	-	5	-	33164491	R632 020	HT632020PS-1	HT632020PS-5
12103504	Ring Terminal ID8 Std/Heavy Wall	-	5	-	33164491	R632 020	HT632020PS-1	HT632020PS-5
12162098	Ring Terminal ID8 Std/Heavy Wall	-	5	-	33164491	R632 020	HT632020PS-1	HT632020PS-5
12103517	Ring Terminal ID8 Std/Heavy Wall	-	5	-	33164491	R632 020	HT632020PS-1	HT632020PS-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
12103518	Ring Terminal ID8 Std/Heavy Wall	-	5	-	33164491	R632 020	HT632020PS-1	HT632020PS-5
41968	Faston 6.3	Receptacle	0.35 - 0.75	22 - 18		R624 673 3 012	HT6246733012-1	HT6246733012-5
41969	Faston 6.3	Receptacle	0.35 - 0.75	22 - 18		R624 673 3 012	HT6246733012-1	HT6246733012-5
42565	Fastin-Faston 6.3	Tab	1.00 - 1.50	17 - 15		R624 731 3 0	HT62473130-1	HT62473130-5
66261	XII	Male	1.50 - 2.50	15 - 13		R624 668 3 023	HT6246683023-1	HT6246683023-5
66330	XII		1.50 - 2.50	15 - 13		R624 668 3 023	HT6246683023-1	HT6246683023-5
66740	XII	Female	1.50 - 2.50	15 - 13		R624 668 3 023	HT6246683023-1	HT6246683023-5
100684	Faston 6.3	Receptacle	0.50 - 1.00	20 - 17		R624 673 3 012	HT6246733012-1	HT6246733012-5
100880	Fastin-Faston 6.3	Tab	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5
100883	Fastin Faston 6.3	Female	2.50 - 4.00	13 - 11		R624 745 3 0	HT62474530-1	HT62474530-5
100884	Fastin Faston 6.3	Female	4.00 - 6.00	11 - 10		R624 745 3 0	HT62474530-1	HT62474530-5
100885	Faston 6.3	Receptacle	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5
100886	Faston 6.3	Receptacle	1.50 - 2.50	17 - 13		R624 743 3 0	HT62474330-1	HT62474330-5
100887	Fastin-Faston 6.3	Receptacle	1.50 - 2.50	17 - 13		R624 743 3 0	HT62474330-1	HT62474330-5
100888	Faston 2.8	Female	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5
106942	Faston 6.3	Receptacle	1.00 - 2.50	17 - 13		R624 673 3 012	HT6246733012-1	HT6246733012-5
140794	Faston 6.3	Receptacle	0.35 - 0.75	22 - 18		R624 673 3 012	HT6246733012-1	HT6246733012-5
150755	Faston Piggy Back	Female	1.00 - 2.50	13 - 17		R624 740 3 0	HT62474030-1	HT62474030-5
154413	Proner	Clip	0.50 - 1.00	20 - 17		R624 949 3 0	HT62474030-1	HT62474030-5
160304	Faston 6.3	Receptacle	1.00 - 2.50	17 - 13		R624 673 3 012	HT6246733012-1	HT6246733012-5
160421	Faston 6.3	Receptacle	0.35 - 0.75	22 - 18		R624 673 3 012	HT6246733012-1	HT6246733012-5
160447	Fastin-Faston 6.3	Female	1.00 - 2.50	17 - 13		R624 731 3 0	HT62473130-1	HT62473130-5
160449	Fastin-Faston 6.3	Female	2.5	13		R624 731 3 0	HT62473130-1	HT62473130-5
160506	Faston 6.3	Receptacle	0.50 - 1.00	20 - 17		R624 673 3 012	HT6246733012-1	HT6246733012-5
160626	Faston	Female	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5
160773	Positive Lock 6.3	Female	0.50 - 1.50	20 - 15		R624 671 3 0	HT62467130-1	HT62467130-5
160814	Faston 6.3	Receptacle	1.00 - 2.50	17 - 13		R624 673 3 012	HT6246733012-1	HT6246733012-5
160827	Positive Lock 6.3	Female	0.35 - 0.75	22 - 18		R624 670 3 0	HT62467030-1	HT62467030-5
160889		Tab	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5
160890		Tab	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5
160891	Faston 6.3	Tab	0.50 - 1.50	15 - 20		R624 742 3 0	HT62474230-1	HT62474230-5
160892	Fastin Faston	-	-	-		R624 745 3 0	HT62474530-1	HT62474530-5
160893		Female	1.50 - 2.50	17 - 13		R624 743 3 0	HT62474330-1	HT62474330-5
160894		Female	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
160922	Fastin Faston	Receptacle	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474330-1	HT62474330-5
160923	Fastin Faston	Tab	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474330-1	HT62474330-5
160926	Fastin-Faston	Tab	1.50 - 2.50	17 - 13		R624 743 3 0	HT62474330-1	HT62474330-5
163082	Type III+	Male	0.75 - 1.50	18 - 15		R624 668 3 023	HT6246683023-1	HT6246683023-5
163084	Type III+	Female	0.75 - 1.50	18 - 15		R624 668 3 023	HT6246683023-1	HT6246683023-5
163086	Type III+	Male	0.20 - 0.50	24 - 20		R624 668 3 023	HT6246683023-1	HT6246683023-5
163088	Type III+	Female	0.20 - 0.50	24 - 20		R624 668 3 023	HT6246683023-1	HT6246683023-5
163557	MATE-N-LOK	Female	0.20 - 0.80	22 - 18		R624 680 3 02	HT624680302-1	HT624680302-5
163558	MATE-N-LOK	Male	0.20 - 0.80	22 - 18		R624 680 3 02	HT624680302-1	HT624680302-5
164164	Type III+	Male	0.75 - 1.50	18 - 15		R624 668 3 023	HT6246683023-1	HT6246683023-5
164839	Type III+	Male	0.75 - 1.50	18 - 15		R624 668 3 023	HT6246683023-1	HT6246683023-5
164840	Type III+	Female	0.75 - 1.50	18 - 15		R624 668 3 023	HT6246683023-1	HT6246683023-5
166315	Type III+	Coaxial	0.20 - 0.50	24 - 20		R624 668 3 023	HT6246683023-1	HT6246683023-5
166316	Type III+	Coaxial	0.20 - 0.50	24 - 20		R624 668 3 023	HT6246683023-1	HT6246683023-5
170364	Mini-Universal MATE-N-LOK	Male	0.35 - 0.75	22 - 18		R624 753 3 01	HT624753301-1	HT624753301-5
170366	Mini-Universal MATE-N-LOK	Female	0.35 - 0.75	22 - 18		R624 753 3 01	HT624753301-1	HT624753301-5
171638	Mini-Universal MATE-N-LOK	Male	0.50 - 1.00	20 - 17		R624 753 3 01	HT624753301-1	HT624753301-5
171639	Mini-Universal MATE-N-LOK	Female	0.50 - 1.00	20 - 17		R624 753 3 01	HT624753301-1	HT624753301-5
180384	FASTIN-FASTON	Female	4.00 - 6.00	11 - 10		R624 751 3 03	HT624751303-1	HT624751303-5
180409	FASTIN-FASTON	Male	4.00 - 6.00	11 - 10		R624 751 3 03	HT624751303-1	HT624751303-5
181902	Faston 6.3	Receptacle	0.35 - 0.75	22 - 18		R624 673 3 012	HT6246733012-1	HT6246733012-5
181903	Faston 6.3	Receptacle	1.00 - 2.50	17 - 13		R624 673 3 012	HT6246733012-1	HT6246733012-5
182524	FASTIN-FASTON 4.8	Female	1.00 - 2.50	17 - 13		R624 832 3 012	HT6248323012-1	HT6248323012-5
183024	Superseal 1.5 Series	Tab	0.75 - 1.50	19 - 17		R624 773 3 02	HT624773302-1	HT624773302-5
183025	Superseal 1.5 Series	Tab	0.75 - 1.50	19 - 17		R624 773 3 02	HT624773302-1	HT624773302-5
183035	Superseal 1.5 Series	Female	0.35 - 0.50	22 - 20		R624 773 3 02	HT624773302-1	HT624773302-5
183036	Superseal 1.5 Series	Tab	0.35 - 0.50	22 - 20		R624 773 3 02	HT624773302-1	HT624773302-5
336075	E-Spring 6.35	Female	0.50 - 1.50	20 - 15		R624 838 3 012	HT6248383012-1	HT6248383012-5
336076	E-Spring 6.35	Female	1.50 - 2.50	15 - 13		R624 839 3 012	HT6248393012-1	HT6248393012-5
344070	Econoseal III	Female	0.50 - 1.50	15 - 20		R624 678 3 0	HT62467830-1	HT62467830-5
640309	MATE-N-LOK	Male	4	11		R624 801 3 023	HT6248013023-1	HT6248013023-5
640310	MATE-N-LOK	Female	4	11		R624 801 3 023	HT6248013023-1	HT6248013023-5
770234	MATE-N-LOK	Male	5	11		R624 801 3 023	HT6248013023-1	HT6248013023-5
770246	MATE-N-LOK	Male	5	11		R624 801 3 023	HT6248013023-1	HT6248013023-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
770247	MATE-N-LOK	Female	5	11		R624 801 3 023	HT6248013023-1	HT6248013023-5
770666	CST-500	Both	0.20 - 0.35	24 - 22		R624 774 3 02	HT624774302-1	HT624774302-5
827808	SPT	Female	1.00 - 2.50	13 - 17		R624 687 3 0	HT62468730-1	HT62468730-5
827844	MATE-N-LOK		0.50 - 1.50	20 - 15		624 669 3 02 RT	HT624 669302RT-1	HT624 669302RT-5
829922	Hexagonal		5.41	-		R624 806 3 0	HT62480630-1	HT62480630-5
865862	4.00 mm System	Female	4.00 - 6.00	11 - 10		R624 754 3 023 RT	HT6247543023RT-1	HT6247543023RT-5
925501	Duo-Tyne Leaf Contact	Both	0.35 - 0.75	22 - 18		R624 720 3 023	HT6247203023-1	HT6247203023-5
925596	JPT	Female	0.50 - 1.50	15 - 20		R624 687 3 0	HT62468730-1	HT62468730-5
925597	Timer Contacts	Female	1.00 - 2.50	13 - 17		R624 687 3 0	HT62468730-1	HT62468730-5
925598	SPT	Female	0.50 - 1.00	17 - 20		R624 687 3 0	HT62468730-1	HT62468730-5
925613	SPT	Female	1.00 - 2.50	13 - 17		R624 687 3 0	HT62468730-1	HT62468730-5
925660	MATE-N-LOK	Male	0.50 - 2.00	20 - 14		R624 730 3 02	HT624730302-1	HT624730302-5
925661	MATE-N-LOK	Female	0.50 - 2.00	20 - 14		R624 730 3 02	HT624730302-1	HT624730302-5
925871	Timer Contacts	Female	0.50 - 1.50	15 - 20		R624 687 3 0	HT62468730-1	HT62468730-5
926007	SPT	Female	0.50 - 1.50	15 - 20		R624 687 3 0	HT62468730-1	HT62468730-5
926008	SPT	Female	1.00 - 2.50	13 - 17		R624 687 3 0	HT62468730-1	HT62468730-5
926824	Automatic Wire Pin		1.00 - 2.50	13 - 17		R624 688 3 0 RT	HT62468830RT-1	HT62468830RT-5
926893	MATE-N-LOK	Female	0.50 - 2.00	20 - 14		R624 746 3 02	HT624746302-1	HT624746302-5
926894	MATE-N-LOK	Male	0.50 - 2.00	20 - 14		R624 746 3 02	HT624746302-1	HT624746302-5
926895	MATE-N-LOK	Female	0.20 - 0.80	22 - 18		R624 680 3 02	HT624680302-1	HT624680302-5
926895	MATE-N-LOK	Female	0.20 - 0.80	24 - 18		R624 746 3 02	HT624746302-1	HT624746302-5
926896	MATE-N-LOK	Male	0.20 - 0.80	22 - 18		R624 680 3 02	HT624680302-1	HT624680302-5
926896	MATE-N-LOK	Male	0.20 - 0.80	24 - 18		R624 746 3 02	HT624746302-1	HT624746302-5
926897	MATE-N-LOK	Split Pin	0.20 - 0.80	22 - 18		R624 680 3 02	HT624680302-1	HT624680302-5
926897	MATE-N-LOK	Male	0.20 - 0.80	24 - 18		R624 746 3 02	HT624746302-1	HT624746302-5
926898	MATE-N-LOK	Male	0.50 - 2.00	20 - 14		R624 746 3 02	HT624746302-1	HT624746302-5
926900	MATE-N-LOK	Female	1.50 - 2.50	17 - 13		R624 747 3 02	HT624747302-1	HT624747302-5
926901	MATE-N-LOK	Female	1.50 - 2.50	17 - 13		R624 747 3 02	HT624747302-1	HT624747302-5
926985	SPT	Female	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474430-1	HT62474430-5
926987	MATE-N-LOK	Female	0.50 - 1.50	20 - 15		R624 730 3 02	HT624730302-1	HT624730302-5
926989	MATE-N-LOK	Male	0.50 - 1.50	20 - 15		R624 730 3 02	HT624730302-1	HT624730302-5
927776	Junior Timer	Female	0.20 - 0.50	24 - 20		R624 737 3 02	HT624737302-1	HT624737302-5
927776	JPT	Female	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474430-1	HT62474430-5
927777	JPT	Female	1.25 - 2.50	17 - 13		R624 674 3 023	HT6246743023-1	HT6246743023-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
927777	JPT	Female	1.50 - 2.50	17 - 13		R624 742 3 0	HT62474230-1	HT62474230-5
927779	JPT	Female	0.50 - 1.00	20 - 17		R624 674 3 023	HT6246743023-1	HT6246743023-5
927779	JPT	Female	0.50 - 1.50	15 - 20		R624 742 3 0	HT62474230-1	HT62474230-5
927780	JPT	Female	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474430-1	HT62474430-5
927781	JPT	Female	1.25 - 2.50	17 - 13		R624 674 3 023	HT6246743023-1	HT6246743023-5
927783	JPT	Female	0.50 - 1.00	20 - 17		R624 674 3 023	HT6246743023-1	HT6246743023-5
927785	2.5 mm System	Female	0.50 - 1.00	20 - 17		R624 760 3 02	HT624760302-1	HT624760302-5
927789	2.5 mm System	Female	1.50 - 2.50	17 - 13		R624 760 3 02	HT624760302-1	HT624760302-5
927797	2.5 mm System	Male	0.50 - 1.00	20 - 17		R624 760 3 02	HT624760302-1	HT624760302-5
927801	2.5 mm System	Male	1.50 - 2.50	17 - 13		R624 760 3 02	HT624760302-1	HT624760302-5
927825	SPT	Female	4	11		R624 734 3 0	HT62473430-1	HT62473430-5
927828	SPT	Female	0.50 - 1.00	20 - 17		R624 733 3 0	HT62473330-1	HT62473330-5
927830	SPT	Female	2.50 - 4.00	13 - 11		R624 756 3 0	HT62475630-1	HT62475630-5
927832	SPT	Female	0.50 - 1.00	20 - 17		R624 756 3 0	HT62475630-1	HT62475630-5
927834	SPT	Female	1.50 - 2.50	15 - 13		R624 733 3 0	HT62473330-1	HT62473330-5
927838	SPT	Female	1.50 - 2.50	17 - 13		R624 756 3 0	HT62475630-1	HT62475630-5
927842	MATE-N-LOK	Male	0.50 - 1.00	20 - 17		624 669 3 02 RT	HT624 669302RT-1	HT624 669302RT-5
927846	JPT	Female	0.50 - 1.50	15 - 20		R624 742 3 0	HT62474230-1	HT62474230-5
927848	SPT	Female	0.50 - 1.50	15 - 20		R624 742 3 0	HT62474230-1	HT62474230-5
927850	Standard Timer	Female	1.50 - 2.50	17 - 13		R624 742 3 0	HT62474230-1	HT62474230-5
927853	Positive Lock 6.3	Receptacle	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5
927855	Positive Lock 6.3	Receptacle	1.50 - 2.50	17 - 13		R624 743 3 0	HT62474330-1	HT62474330-5
927857	Junior Timer	Female	1.50 - 2.50	17 - 13		R624 742 3 0	HT62474230-1	HT62474230-5
927872	JPT	Female	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474430-1	HT62474430-5
927880	SPT	Female	1.00 - 2.50	13 - 17		R624 687 3 0	HT62468730-1	HT62468730-5
927885	CI-2	Male	0.50 - 1.50	15 - 20		R624 742 3 0	HT62474230-1	HT62474230-5
927887	CI-2	Female	0.50 - 1.50	15 - 20		R624 742 3 0	HT62474230-1	HT62474230-5
927889	CI 2	Male	1.50 - 2.50	17 - 13		R624 742 3 0	HT62474230-1	HT62474230-5
927891	CI 2	Female	1.50 - 2.50	17 - 13		R624 742 3 0	HT62474230-1	HT62474230-5
927936	SPT	Female	0.50 - 1.50	15 - 20		R624 687 3 0	HT62468730-1	HT62468730-5
927937	SPT	Female	1.00 - 2.50	13 - 17		R624 687 3 0	HT62468730-1	HT62468730-5
927973	JPT	Female	0.50 - 1.50	15 - 20		R624 687 3 0	HT62468730-1	HT62468730-5
928804	SPT	Female	0.50 - 2.50	13 - 20		R624 750 3 02 RT	HT624750302RT-1	HT624750302RT-5
928805	SPT	Female	1.00 - 2.50	13 - 17		R624 750 3 02 RT	HT624750302RT-1	HT624750302RT-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
928818	JPT	Female	0.50 - 1.00	20 - 17		R624 674 3 023	HT6246743023-1	HT6246743023-5
928876	JPT	Female	0.50 - 1.00	20 - 17		R624 674 3 023	HT6246743023-1	HT6246743023-5
928907	Positive Lock 6.3	Female	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474430-1	HT62474430-5
928950	Fastin Faston	-	-	-		R624 745 3 0	HT62474530-1	HT62474530-5
928951	Fastin Faston	Female	4.00 - 6.00	11 - 10		R624 745 3 0	HT62474530-1	HT62474530-5
928952	Fastin Faston 6.3	Tab	4.00 - 6.00	11 - 10		R624 745 3 0	HT62474530-1	HT62474530-5
928959	Positive Lock	Female	2.50 - 4.00	11 - 13		R624 745 3 0	HT62474530-1	HT62474530-5
928961	Positive Lock 6.3	Female	4.00 - 6.00	11 - 10		R624 745 3 0	HT62474530-1	HT62474530-5
928963	Fastin-Faston 6.3	Receptacle	1.50 - 2.50	17 - 13		R624 743 3 0	HT62474330-1	HT62474330-5
928989	SPT	Female	0.20 - 0.50	24 - 20		R624 733 3 0	HT62473330-1	HT62473330-5
928989	SPT	Female	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474330-1	HT62474430-5
928996	Fastin-Faston	Tab	1.00 - 2.50	13 - 17		R624 738 3 0	HT62473830-1	HT62473830-5
929026	Sensor Flattype	Female	1.40 - 2.00	14 - 16		R624 724 3 023 RT	HT6247243023RT-1	HT6247243023RT-5
929028	Sensor Flattype	Female	0.50 - 1.00	17 - 20		R624 724 3 023 RT	HT6247243023RT-1	HT6247243023RT-5
929152	MCP 9.5	Female	10	7		R630 783-9 3	HT630783-93-1	HT630783-93-5
929155	MQS	Female	0.35 - 0.50	22 - 20		R691 711 3 0	HT69171130-1	HT69171130-5
929161	MQS	Tab	0.35 - 0.50	22 - 20		R691 711 3 0	HT69171130-1	HT69171130-5
929164	MQS	Tab	0.35 - 0.50	22 - 20		R691 711 3 0	HT69171130-1	HT69171130-5
929922	SPT	Female	0.50 - 1.00	20 - 17		R624 736 3 01	HT624736301-1	HT624736301-5
929923	SPT	Female	1.50 - 2.50	17 - 13		R624 736 3 01	HT624736301-1	HT624736301-5
929924	SPT	Female	2.50 - 4.00	13 - 11		R624 736 3 01	HT624736301-1	HT624736301-5
929927	Micro Timer	Female	0.35 - 0.75	22 - 19		R624 739 3 02	HT624739302-1	HT624739302-5
929929	JPT	Female	1.50 - 2.50	17 - 13		R624 737 3 02	HT624737302-1	HT624737302-5
929930	JPT	Female	0.50 - 1.00	20 - 17		R624 737 3 02	HT624737302-1	HT624737302-5
929931	JPT	Female	0.20 - 0.50	24 - 20		R624 737 3 02	HT624737302-1	HT624737302-5
929938	JPT	Female	1.50 - 2.50	17 - 13		R624 737 3 02	HT624737302-1	HT624737302-5
929940	JPT	Female	0.50 - 1.00	20 - 17		R624 737 3 02	HT624737302-1	HT624737302-5
929942	JPT	Female	0.20 - 0.50	24 - 20		R624 737 3 02	HT624737302-1	HT624737302-5
929951	Micro Timer	Female	0.20 - 0.50	24 - 20		R624 739 3 02	HT624739302-1	HT624739302-5
929951	Micro Timer I	Female	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474430-1	HT62474430-5
929953	Micro Timer	Female	0.50 - 1.00	17 - 20		R624 739 3 02	HT624739302-1	HT624739302-5
929955	Micro Timer	Female	1.00 - 1.50	15 - 17		R624 739 3 02	HT624739302-1	HT624739302-5
962944	Micro Timer	Female	0.2 - 0.5	24 - 20		R624 663 3 02	HT624663302-1	HT624663302-5
962945	Micro Timer	Female	0.50 - 5.00	20 - 17		R624 663 3 02	HT624663302-1	HT624663302-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
962953	4.0 mm System	Female	0.50 - 1.00	20 - 17		R624 960 3 012	HT6249603012-1	HT6249603012-5
962955	4.00 mm System	Female	1.00 - 2.50	17 - 13		R624 748 3 02	HT624748302-1	HT624748302-5
962972	2.5 mm System	Male	1.50 - 2.50	17 - 13		R624 679 3 023	HT6246793023-1	HT6246793023-5
962982	2.5 mm System	Female	1.50 - 2.50	17 - 13		R624 679 3 023	HT6246793023-1	HT6246793023-5
962993	2.5 mm System	Male	1.50 - 2.50	17 - 13		R624 679 3 023	HT6246793023-1	HT6246793023-5
962999	1.5 mm System	Female	1.00 - 2.50	17 - 13		R624 679 3 023	HT6246793023-1	HT6246793023-5
963704			0.35 - 2.50	22 - 13		R624 761 3 02	HT624761302-1	HT624761302-5
963710	Micro Timer	Female	0.20 - 0.50	24 - 20		R624 651 3 02	HT624651302-1	HT624651302-5
963711	Micro Timer	Female	0.50 - 1.00	20 - 17		R624 651 3 02	HT624651302-1	HT624651302-5
963712	Micro Timer	Tab	0.20 - 0.50	24 - 20		R624 651 3 02	HT624651302-1	HT624651302-5
963713	Micro Timer	Tab	0.50 - 1.00	20 - 17		R624 651 3 02	HT624651302-1	HT624651302-5
963714	SPT	Female	4.0 - 6.0	11 - 10		R624 831 3 012	HT6248313012-1	HT6248313012-5
963725	MQS	Male	0.20 - 0.50	24 - 20		R624 682 3 012	HT6246823012-1	HT6246823012-5
963726	MQS	Female	0.20 - 0.50	24 - 20		R624 682 3 012	HT6246823012-1	HT6246823012-5
963727	MQS	Receptacle	0.20 - 0.50	24 - 20		R624 685 3 012	HT6246853012-1	HT6246853012-5
963728	MQS	Male	0.20 - 0.50	24 - 20		R624 685 3 012	HT6246853012-1	HT6246853012-5
963729	MQS	Female	0.50 - 0.75	20 - 19		R624 812 3 012	HT6248123012-1	HT6248123012-5
963730	MQS	Male	0.50 - 0.75	20 - 19		R624 812 3 012	HT6248123012-1	HT6248123012-5
963735	Flat Series, MCP, SPT	Tab	1.00 - 2.50	17 - 13		R624 938 3 012	HT6249383012-1	HT6249383012-5
963737	Flat Series, MCP, SPT	Tab	0.50 - 5.00	20 - 17		R624 757 3 0	HT62475730-1	HT62475730-5
963740	MCP, SPT	Tab	1.00 - 2.50	17 - 13		R624 757 3 0	HT62475730-1	HT62475730-5
963741	Flat Series, MCP, SPT	Tab	2.50 - 4.00	13 - 11		R624 757 3 0	HT62475730-1	HT62475730-5
963742	Flat Connection, MCP, SPT	Tab	0.50 - 1.00	20 - 17		624 741 3 0 RT	HT62474130RT-1	HT62474130RT-5
963742	Flat Series, MCP, SPT	Tab	0.50 - 1.00	20 - 17		R624 757 3 0	HT62475730-1	HT62475730-5
963743	Flat Series, MCP, SPT	Tab	1.00 - 2.50	17 - 13		R624 757 3 0	HT62475730-1	HT62475730-5
963744	Flat Series, MCP, SPT	Tab	2.50 - 4.00	13 - 11		R624 757 3 0	HT62475730-1	HT62475730-5
963745	Flat Series, JPT, MCP	Tab	0.50 - 5.00	20 - 17		R624 758 3 03	HT624758303-1	HT624758303-5
963746	Flat Series, JPT, MCP	Tab	1.50 - 2.50	17 - 13		R624 758 3 03	HT624758303-1	HT624758303-5
963748	Flat Series, JPT, MCP	Tab	0.50 - 5.00	20 - 17		R624 758 3 03	HT624758303-1	HT624758303-5
963749	Flat Series, JPT, MCP	Tab	1.50 - 2.50	17 - 13		R624 758 3 03	HT624758303-1	HT624758303-5
963759	Rec. 3.3mm	Tab	0.20 - 0.50	24 - 20		R624 755 3 0	HT62475530-1	HT62475530-5
963760	Rec. 3.3mm	Tab	0.50 - 1.00	20 - 17		R624 755 3 0	HT62475530-1	HT62475530-5
963761	Rec. 3.3mm	Tab	1.50 - 2.50	17 - 13		R624 755 3 0	HT62475530-1	HT62475530-5
963827	FASTIN-FASTON 9.5	Female	1.50 - 2.50	15 - 13		R624 807 3 012	HT6248073012-1	HT6248073012-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
963866	2.5 mm System	Male	0.35	22		R624 760 3 02	HT624760302-1	HT624760302-5
963867	2.5 mm System	Female	0.35	22		R624 760 3 02	HT624760302-1	HT624760302-5
963885	JPT	Female	1.25 - 2.50	17 - 13		R624 674 3 023	HT6246743023-1	HT6246743023-5
963903	Micro Timer	Tab	0.20 - 0.50	24 - 20		R624 651 3 02	HT624651302-1	HT624651302-5
963905	Micro Timer	Tab	0.50 - 1.00	20 - 17		R624 651 3 02	HT624651302-1	HT624651302-5
963920	Rec. 3.3mm	Tab	0.20 - 0.50	24 - 20		R624 755 3 0	HT62475530-1	HT62475530-5
963921	Rec. 3.3mm	Butt Splice	0.50 - 1.00	20 - 17		R624 755 3 0	HT62475530-1	HT62475530-5
963922	Rec. 3.3mm	Butt Splice	1.50 - 2.50	17 - 13		R624 755 3 0	HT62475530-1	HT62475530-5
963962	FASTIN-FASTON		0.20 - 0.50	24 - 20		R624 803 3 012	HT6248033012-1	HT6248033012-5
964140	JPT 2.8	Tab	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474430-1	HT62474430-5
964141	JPT 2.8	Tab	0.50 - 1.00	20 - 17		R624 743 3 0	HT62474330-1	HT62474330-5
964142	JPT 2.8	Tab	1.50 - 2.50	17 - 13		R624 743 3 0	HT62474330-1	HT62474330-5
964262	Micro Timer	Female	0.2 - 0.5	24 - 20		R624 663 3 02	HT624663302-1	HT624663302-5
964264	Micro Timer	Female	0.50 - 5.00	20 - 17		R624 663 3 02	HT624663302-1	HT624663302-5
964266	Micro Timer	Tab	0.2 - 0.5	24 - 20		R624 663 3 02	HT624663302-1	HT624663302-5
964268	Micro Timer	Tab	0.50 - 5.00	20 - 17		R624 663 3 02	HT624663302-1	HT624663302-5
964270	Micro Timer	Tab	0.50 - 5.00	20 - 17		R624 663 3 02	HT624663302-1	HT624663302-5
964275	Micro Timer	Female	0.50 - 5.00	20 - 17		R624 663 3 02	HT624663302-1	HT624663302-5
964279	JPT	Female	0.20 - 0.50	24 - 20		R624 664 3 03	HT624664303-1	HT624664303-5
964281	JPT	Female	0.20 - 0.50	24 - 20		R624 650 3 012	HT6246503012-1	HT6246503012-5
964283	JPT	Female	0.50 - 1.00	17 - 20		R624 664 3 03	HT624664303-1	HT624664303-5
964285	JPT	Female	0.50 - 1.00	20 - 17		R624 650 3 012	HT6246503012-1	HT6246503012-5
964287	JPT	Female	1.00- 2.50	17 - 13		R624 650 3 012	HT6246503012-1	HT6246503012-5
964291	JPT, MCP	Male	0.20 - 0.50	24 - 20		R624 664 3 03	HT624664303-1	HT624664303-5
964291	MCP 2.8, JPT, Sensor Series	Tab	0.20 - 0.35	24 - 22		R624 951 3 023	HT6249513023-1	HT6249513023-5
964293	JPT, MCP	Male	0.50 - 1.00	17 - 20		R624 664 3 03	HT624664303-1	HT624664303-5
964293	MCP 2.8, JPT, Sensor Series	Tab	0.50 - 1.00	20 - 17		R624 951 3 023	HT6249513023-1	HT6249513023-5
964295	JPT, MCP	Male	0.20 - 2.50	13 - 24		R624 664 3 03	HT624664303-1	HT624664303-5
964295	MCP 2.8, JPT, Sensor Series	Tab	1.50 - 2.50	15 - 13		R624 951 3 023	HT6249513023-1	HT6249513023-5
964297	JPT, MCP 2.8	Tab	0.20 - 0.50	24 - 20		R624 650 3 012	HT6246503012-1	HT6246503012-5
964297	MCP 2.8, JPT, Sensor Series	Tab	0.20 - 0.35	24 - 22		R624 952 3 023	HT6249523023-1	HT6249523023-5
964299	JPT, MCP 2.8	Tab	0.50 - 1.00	20 - 17		R624 650 3 012	HT6246503012-1	HT6246503012-5
964299	MCP 2.8, JPT, Sensor Series	Tab	0.50 - 1.00	20 - 17		R624 952 3 023	HT6249523023-1	HT6249523023-5
964301	JPT, MCP 2.8	Tab	1.00- 2.50	17 - 13		R624 650 3 012	HT6246503012-1	HT6246503012-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
964301	MCP 2.8, JPT, Sensor Series	Tab	1.50 - 2.50	15 - 13		R624 952 3 023	HT6249523023-1	HT6249523023-5
964303	SPT, MCP	Tab	0.50 - 1.00	20 - 17		R624 665 3 01	HT624665301-1	HT624665301-5
964303	MCP 4.8, SPT	Tab	0.50 - 1.00	20 - 17		R624 953 3 012	HT6249533012-1	HT6249533012-5
964305	SPT, MCP	Tab	1.50 - 2.50	15 - 13		R624 665 3 01	HT624665301-1	HT624665301-5
964305	MCP 4.8, SPT	Tab	1.50 - 2.50	15 - 13		R624 953 3 012	HT6249533012-1	HT6249533012-5
964307	SPT, MCP	Tab	4	11		R624 665 3 01	HT624665301-1	HT624665301-5
964307	MCP 4.8, SPT	Tab	4	11		R624 954 3 012	HT6249543012-1	HT6249543012-5
964309	SPT, MCP	Tab	0.50 - 1.00	20 - 17		R624 666 3 01	HT624666301-1	HT624666301-5
964309	MCP 4.8, SPT	Tab	0.50 - 1.00	20 - 17		R624 955 3 012	HT6249533012-1	HT6249533012-5
964311	SPT, MCP	Tab	1.50 - 2.50	15 - 13		R624 666 3 01	HT624666301-1	HT624666301-5
964313	SPT, MCP	Tab	4	11		R624 666 3 01	HT624666301-1	HT624666301-5
964321	SPT	Female	0.20 - 0.50	24 - 20		R624 665 3 01	HT624665301-1	HT624665301-5
964323	SPT	Female	0.50 - 1.00	20 - 17		R624 665 3 01	HT624665301-1	HT624665301-5
964325	SPT	Female	1.50 - 2.50	15 - 13		R624 665 3 01	HT624665301-1	HT624665301-5
964327	SPT	Female	4	11		R624 665 3 01	HT624665301-1	HT624665301-5
964346	JPT	Female	1.00 - 2.50	13 - 17		R624 664 3 03	HT624664303-1	HT624664303-5
964349	Micro Timer	Female	0.50 - 5.00	20 - 17		R624 663 3 02	HT624663302-1	HT624663302-5
965857	4.00 mm System	Male	1.00 - 2.50	17 - 13		R624 752 3 023 RT	HT6247523023RT-1	HT6247523023RT-5
965858	4.00 mm System	Male	2.50 - 4.00	13 - 11		R624 754 3 023 RT	HT6247543023RT-1	HT6247543023RT-5
965859	4.00 mm System	Male	4.00 - 6.00	11 - 10		R624 754 3 023 RT	HT6247543023RT-1	HT6247543023RT-5
965860	4.00 mm System	Female	1.00 - 2.50	17 - 13		R624 752 3 023 RT	HT6247523023RT-1	HT6247523023RT-5
965861	4.00 mm System	Female	2.50 - 4.00	13 - 11		R624 754 3 023 RT	HT6247543023RT-1	HT6247543023RT-5
965863	4.00 mm System	Male	1.00 - 2.50	17 - 13		R624 699 3 023	HT6246993023-1	HT6246993023-5
965864	4.00 mm System	Male	1.00 - 2.50	17 - 13		R624 699 3 023	HT6246993023-1	HT6246993023-5
965864	4.00 mm System	Male	4.00 - 6.00	11 - 10		R624 749 3 023 RT	HT6247493023RT-1	HT6247493023RT-5
965865	4.00 mm System	Male	4.00 - 6.00	11 - 10		R624 749 3 023 RT	HT6247493023RT-1	HT6247493023RT-5
965866	4.00 mm System	Female	1.00 - 2.50	17 - 13		R624 699 3 023	HT6246993023-1	HT6246993023-5
965867	4.00 mm System	Female	1.00 - 2.50	17 - 13		R624 699 3 023	HT6246993023-1	HT6246993023-5
965867	4.00 mm System	Female	4.00 - 6.00	11 - 10		R624 749 3 023 RT	HT6247493023RT-1	HT6247493023RT-5
965868	4.00 mm System	Female	4.00 - 6.00	11 - 10		R624 749 3 023 RT	HT6247493023RT-1	HT6247493023RT-5
965907	MQS	Female	0.50 - 0.75	20 - 19		R624 813 3 012	HT6248133012-1	HT6248133012-5
965909	MQS	Male	0.50 - 0.75	20 - 19		R624 813 3 012	HT6248133012-1	HT6248133012-5
965915	Micro Timer	Female	0.2 - 0.5	24 - 20		R624 663 3 02	HT624663302-1	HT624663302-5
967260	JPT 2.8	Female	0.20 - 0.50	24 - 20		R624 744 3 0	HT62474430-1	HT62474430-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
967712	MCP	Female	0.35	22		R624 721 3 02	HT624721302-1	HT624721302-5
967713	Sensor Flat Type 2.8	Receptacle	0.50 - 1.00	17 - 20		R624 722 3 023	HT6247223023-1	HT6247223023-5
967714	Sensor Flattype 2.8	Male	1.50 - 2.50	15 - 13		R624 723 3 023	HT6247233023-1	HT6247233023-5
967716	MCP	Tab	0.50 - 1.00	20 - 17		R624 726 3 023	HT6247263023-1	HT6247263023-5
967717	Sensor Series	Tab	1.00 - 2.50	17 - 13		R624 727 3 023	HT6247273023-1	HT6247273023-5
967718	MCP	Female	0.35	22		R624 721 3 02	HT624721302-1	HT624721302-5
967719	Sensor Series 2.8	Tab	0.50 - 1.00	17 - 20		R624 722 3 023	HT6247223023-1	HT6247223023-5
967720	MCP 2.8	Female	1.50 - 2.50	15 - 13		R624 723 3 023	HT6247233023-1	HT6247233023-5
967722	MCP	Tab	0.50 - 1.00	20 - 17		R624 726 3 023	HT6247263023-1	HT6247263023-5
967723	Sensor Series	Tab	1.00 - 2.50	17 - 13		R624 727 3 023	HT6247273023-1	HT6247273023-5
968220	MQS	Female	0.20 - 0.50	24 - 20		R624 682 3 012	HT6246823012-1	HT6246823012-5
968221	MQS	Female	0.50 - 0.75	20 - 19		R624 812 3 012	HT6248123012-1	HT6248123012-5
968678	MQS	Female	0.35 - 0.50	22 - 20		R691 711 3 0	HT69171130-1	HT69171130-5
968679	MQS	Tab	0.35 - 0.50	22 - 20		R691 711 3 0	HT69171130-1	HT69171130-5
968855	MCP	Female	0.50 - 1.00	20 - 17		R624 726 3 023	HT6247263023-1	HT6247263023-5
968857	MCP 2.8	Receptacle	1.00 - 2.50	17 - 13		R624 727 3 023	HT6247273023-1	HT6247273023-5
968872	MCP 2.8	Receptacle	0.50 - 1.00	17 - 20		R624 722 3 023	HT6247223023-1	HT6247223023-5
968873	MCP 2.8	Female	1.50 - 2.50	15 - 13		R624 723 3 023	HT6247233023-1	HT6247233023-5
968874	MCP 2.8	Female	4	11		R624 723 3 023	HT6247233023-1	HT6247233023-5
968875	MCP	Female	0.50 - 1.00	20 - 17		R624 726 3 023	HT6247263023-1	HT6247263023-5
968876	MCP 2.8	Receptacle	1.00 - 2.50	17 - 13		R624 727 3 023	HT6247273023-1	HT6247273023-5
968877	MCP 2.8	Receptacle	2.50 - 4.00	13 - 11		R624 727 3 023	HT6247273023-1	HT6247273023-5
968895	MCP	Female	0.35	22		R624 721 3 02	HT624721302-1	HT624721302-5
968896	MCP 2.8	Female	0.35	22		R624 725 3 02	HT624725302-1	HT624725302-5
968904	Sensor Flattype	Female	1.40 - 2.00	14 - 16		R624 724 3 023 RT	HT6247243023RT-1	HT6247243023RT-5
968905	Sensor Flattype	Female	0.50 - 1.00	17 - 20		R624 724 3 023 RT	HT6247243023RT-2	HT6247243023RT-5
969008	SPT, MCP	Tab	0.20 - 0.50	24 - 20		R624 665 3 01	HT624665301-1	HT624665301-5
969008	MCP 4.8, SPT	Tab	0.20 - 0.50	24 - 20		R624 953 3 012	HT6249533012-1	HT6249533012-5
969019	Micro Timer	Female	0.20 - 0.50	24 - 20		R624 663 3 02	HT624663302-1	HT624663302-5
969029	Micro Timer	Tab	0.20 - 0.50	24 - 20		R624 663 3 02	HT624663302-1	HT624663302-5
969041	SPT	Female	0.50 - 1.00	20 - 17		R624 666 3 01	HT624666301-1	HT624666301-5
969043	SPT	Female	1.50 - 2.50	15 - 13		R624 666 3 01	HT624666301-1	HT624666301-5
969043	SPT	Female	1.50 - 2.50	15 - 13		R624 956 3 023	HT6249563023-1	HT6249563023-5
969045	SPT	Female	4	11		R624 666 3 01	HT624666301-1	HT624666301-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
969045	SPT	Female	4	11		R624 956 3 023	HT6249563023-1	HT6249563023-5
1105150	HSS	Male	6 - 25	10 - 4		R624 075 3 0	HT62407530-1	HT62407530-5
1105151	HSS	Female	6 - 25	10 - 4		R624 075 3 0	HT62407530-1	HT62407530-5
1241373	MCP 1.5	Female	0.20 - 0.35	24 - 22		R624 950 3 023	HT6249503023-1	HT6249503023-5
1241375	MCP 1.5	Female	0.50 - 1.00	20 - 17		R624 950 3 023	HT6249503023-1	HT6249503023-5
1241377	MCP 1.5	Female	0.50 - 1.00	20 - 17		R624 950 3 023	HT6249503023-1	HT6249503023-5
1241379	MCP 1.5	Female	0.20 - 0.35	24 - 22		R624 950 3 023	HT6249503023-1	HT6249503023-5
1241381	MCP 1.5	Female	0.50 - 1.00	20 - 17		R624 950 3 023	HT6249503023-1	HT6249503023-5
1241387	MCP 2.8	Female	0.20 - 0.35	24 - 22		R624 951 3 023	HT6249513023-1	HT6249513023-5
1241389	MCP 2.8	Female	0.50 - 1.00	20 - 17		R624 951 3 023	HT6249513023-1	HT6249513023-5
1241391	MCP 2.8	Female	1.50 - 2.50	15 - 13		R624 951 3 023	HT6249513023-1	HT6249513023-5
1241393	MCP 2.8	Female	0.20 - 0.35	24 - 22		R624 952 3 023	HT6249523023-1	HT6249523023-5
1241395	MCP 2.8	Female	0.50 - 1.00	20 - 17		R624 952 3 023	HT6249523023-1	HT6249523023-5
1241397	MCP 2.8	Female	1.50 - 2.50	15 - 13		R624 952 3 023	HT6249523023-1	HT6249523023-5
1241401	MCP 4.8	Female	0.20 - 0.50	24 - 20		R624 953 3 012	HT6249533012-1	HT6249533012-5
1241403	MCP 4.8	Female	0.50 - 1.00	20 - 17		R624 953 3 012	HT6249533012-1	HT6249533012-5
1241404	MCP 6.3 / 4.8	Tab	1.00 - 2.50	17 - 13		R624 941 3 012	HT6249413012-1	HT6249413012-5
1241405	MCP 4.8	Female	1.50 - 2.50	15 - 13		R624 953 3 012	HT6249533012-1	HT6249533012-5
1241407	MCP 4.8	Female	4	11		R624 954 3 012	HT6249543012-1	HT6249543012-5
1241409	MCP 4.8	Female	6	10		R624 954 3 012	HT6249543012-1	HT6249543012-5
1241411	MCP 4.8	Female	0.20 - 0.50	24 - 20		R624 955 3 012	HT6249553012-1	HT6249553012-5
1241413	MCP 4.8	Female	0.50 - 1.00	20 - 17		R624 955 3 012	HT6249553012-1	HT6249553012-5
1241415	MCP 4.8	Female	1.50 - 2.50	15 - 13		R624 956 3 023	HT6249563023-1	HT6249563023-5
1241417	MCP 4.8	Female	4	11		R624 956 3 023	HT6249563023-1	HT6249563023-5
1241419	JPT 2.8	Tab	0.50 - 1.00	20 - 17		R624 835 3 012	HT6248353012-1	HT6248353012-5
1241604	MQS	Female	0.35 - 0.50	22 - 20		R624 693 3 01	HT624693301-1	HT624693301-5
1241606	MQS	Female	0.75 - 1.00	18 - 17		R624 693 3 01	HT624693301-1	HT624693301-5
1241609	MQS	Female	0.75 - 1.00	18 - 17		R624 692 3 01	HT624692301-1	HT624692301-5
1241731	Micro Timer	Female	0.20 - 0.50	24 - 20		R624 663 3 02	HT624663302-1	HT624663302-5
1241733	Micro Timer	Female	0.50 - 5.00	20 - 17		R624 663 3 02	HT624663302-1	HT624663302-5
1241818	SPT	Female	4.0 - 6.0	11 - 10		R624 831 3 012	HT6248313012-1	HT6248313012-5
1241823	SPT	Female	0.50 - 1.50	15 - 20		R624 742 3 0	HT62474230-1	HT62474230-5
1241824	SPT	Female	0.50 - 1.50	15 - 20		R624 742 3 0	HT62474230-1	HT62474230-5
1241825	SPT	Female	1.00 - 2.50	13 - 17		R624 687 3 0	HT62468730-1	HT62468730-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
1241826	SPT	Female	1.50 - 2.50	17 - 13		R624 756 3 0	HT62475630-1	HT62475630-5
1241919	MQS	Female	0.20 - 0.50	24 - 20		R624 682 3 012	HT6246823012-1	HT6246823012-5
1241921	MQS	Female	0.50 - 0.75	20 - 19		R624 812 3 012	HT6248123012-1	HT6248123012-5
1355554	MQS	Female	0.75 - 1.00	18 - 17		R624 692 3 01	HT624692301-1	HT624692301-5
1355557	MQS	Female	0.35 - 0.50	22 - 20		R624 692 3 01	HT624692301-1	HT624692301-5
1355718	MQS	Female	0.14 - 0.22	26 - 24		R624 814 3 012	HT6248143012-1	HT6248143012-5
1355720	MQS	Male	0.14 - 0.22	26 - 24		R624 814 3 012	HT6248143012-1	HT6248143012-5
1355988	MQS	Female	0.20 - 0.50	24 - 20		R624 682 3 012	HT6246823012-1	HT6246823012-5
1418759	MCP 1.2	Tab	0.25 - 0.35	24 - 22		R624 841 3 012	HT6248413012-1	HT6248413012-5
1418761	MCP & MCON 1.2	Tab	0.50 - 0.75	20 - 19		R624 843 3 012	HT6248433012-1	HT6248433012-5
1418763		Tab	1.00 - 1.50	18 - 16		R624 842 3 012	HT6248423012-1	HT6248423012-5
1418845	MCON 1.2	Receptacle	0.25 - 0.35	24 - 22		R624 959 3 012	HT6249593012-1	HT6249593012-5
1418848	MCP & MCON 1.2	Female	0.50 - 0.75	20 - 19		R624 957 3 012	HT6249573012-1	HT6249573012-5
1418851	MCON 1.2	Female	1.00 - 1.50	18 - 16		R624 935 3 012	HT6249353012-1	HT6249353012-5
1418885	MCP 1.5	Female	1.5	15		R624 828 3 012	HT6248283012-1	HT6248283012-5
1452014	MQS	Female	0.50 - 0.75	20 - 19		R624 812 3 012	HT6248123012-1	HT6248123012-5
1452504	MCP, MCON	Female	1.00 - 1.50	17 - 15		R624 811 3 012	HT6248113012-1	HT6248113012-5
1452654	MCP 1.2	Receptacle	0.25 - 0.35	24 - 22		R624 841 3 012	HT6248413012-1	HT6248413012-5
1452657	MCON 1.2	Receptacle	0.50 - 0.75	20 - 19		R624 843 3 012	HT6248433012-1	HT6248433012-5
1452660	MCP & MCON 1.2	Tab	1.00 - 1.50	18 - 16		R624 842 3 012	HT6248423012-1	HT6248423012-5
1452666	MCON 1.2	Receptacle	0.25 - 0.35	24 - 22		R624 836 3 012	HT6248363012-1	HT6248363012-5
1452669	MCON 1.2	Receptacle	0.50 - 0.75	20 - 19		R624 815 3 012	HT6248153012-1	HT6248153012-5
1452672	MCON 1.2	Receptacle	1.00 - 1.50	17 - 15		R624 837 3 012	HT6248373012-1	HT6248373012-5
1488147	Hexagonal		3.25	-		R624 806 3 0	HT62480630-1	HT62480630-5
1488155	Hexagonal		3.25	-		R624 806 3 0	HT62480630-1	HT62480630-5
1488171	Hexagonal		4.1	-		R624 806 3 0	HT62480630-1	HT62480630-5
1488175	Hexagonal		4.1	-		R624 806 3 0	HT62480630-1	HT62480630-5
1534063	MCON 1.2	Receptacle	0.50 - 0.75	20 - 19		R624 805 3 012	HT6248053012-1	HT6248053012-5
1534335	MCP 1.5	Female	1.5	15		R624 828 3 012	HT6248283012-1	HT6248283012-5
1534595	MCON 1.2	Receptacle	0.25 - 0.35	24 - 22		R624 804 3 012	HT6248043012-1	HT6248043012-5
1670145	MCON 1.2 CB	Female	0.50 - 0-.75	20		R624 786 3 012	HT6247863012-1	HT6247863012-5
1670147	MCON 1.2 CB	Female	0.50 - 0-.75	20		R624 784 3 01	HT624784301-1	HT624784301-5
1670803	MCON 2.8	Female	0.50 - 1.00	20 - 17		R624 794 3 012 RT	HT6247943012RT-1	HT6247943012RT-5
1718477	MCON 2.8	Female	2.50 - 4.00	13 - 11		R624 870 3 012 RT	HT6248703012RT-1	HT6248703012RT-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
1718761	MCON 1.2	Tab	0.50 - 0.75	20 - 19		R624 815 3 012	HT6248153012-1	HT6248153012-5
1718763	MCON 1.2	Tab	1.00 - 1.50	17 - 15		R624 837 3 012	HT6248373012-1	HT6248373012-5
1719837	MCON 2.8	Female	0.20 - 0.35	24 - 22		R624 939 3 012 RT	HT6249393012RT-1	HT6249393012RT-5
1719841	MCON 2.8	Female	1.50 - 2.50	15 - 13		R624 869 3 012 RT	HT6248693012RT-1	HT6248693012RT-5
1-5105150-5	HSS	Male	2.5	13		R624 076 3 01	HT624076301-1	HT624076301-5
1-5105050-5	HN.D	Male	0.12 -0.40	26 -22		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105050-2	HN.D	Male	0.12 -0.40	26 -22		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105051-5	HN.D	Female	0.12 -0.40	26 -22		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105051-2	HN.D	Female	0.12 -0.40	26 -22		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105100-5	HE/HA	Male	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105100-2	HE/HA	Male	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105101-5	HE/HA	Female	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105101-2	HE/HA	Female	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105151-5	HSS	Female	2.5	13		R624 076 3 01	HT624076301-1	HT624076301-5
1-5105250-5	HSM	Male	0.75 - 1.00	19 - 17		R624 076 3 01	HT624076301-1	HT624076301-5
1-5105251-5	HSM	Female	0.75 - 1.00	19 - 17		R624 076 3 01	HT624076301-1	HT624076301-5
1-5105300-5	HVT	Male	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105300-2	HVT	Male	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105301-5	HVT	Female	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
1-5105301-2	HVT	Female	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
1-5108756-5	HSK	Female	1.5	15		R624 076 3 01	HT624076301-1	HT624076301-5
1-5108757-5	HSK	Male	1.5	15		R624 076 3 01	HT624076301-1	HT624076301-5
1394858-5	Coax Size 8	Male	Size 8	-		R691 510 3 013	HT6915103013-1	HT6915103013-5
1394879-5	Coax Size 8	Female	Size 8	-		R691 510 3 013	HT6915103013-1	HT6915103013-5
1418669-5	Coax Size 8	Female	Size 8	-		R691 510 3 013	HT6915103013-1	HT6915103013-5
1418670-5	Coax Size 8	Male	Size 8	-		R691 510 3 013	HT6915103013-1	HT6915103013-5
1563168-3	4.00 mm Glow Plug Connector	Female	2.5	13		R624 776 3 0	HT62477630-1	HT62477630-5
1718080-5	Fakra II RF 90°	Hexagonal		-		R624 827 3 03	HT624827303-1	HT624827303-5
1740412-5	Coax Size 8	Female	Size 8	-		R691 510 3 013	HT6915103013-1	HT6915103013-5
1740413-5	Coax Size 8	Male	Size 8	-		R691 510 3 013	HT6915103013-1	HT6915103013-5
2-5105050-5	HN.D	Male	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105050-2	HN.D	Male	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105051-5	HN.D	Female	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105051-2	HN.D	Female	0.50 - 0.60	20		R624 071 3 01	HT624071301-1	HT624071301-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
2-5105100-5	HE/HA	Male	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105100-2	HE/HA	Male	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105101-5	HE/HA	Female	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105101-2	HE/HA	Female	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105150-5	HSS	Male	4	11		R624 077 3 01	HT624077301-1	HT624077301-5
2-5105151-5	HSS	Female	4	11		R624 077 3 01	HT624077301-1	HT624077301-5
2-5105250-5	HSM	Male	1.5	15		R624 076 3 01	HT624076301-1	HT624076301-5
2-5105251-5	HSM	Female	1.5	15		R624 076 3 01	HT624076301-1	HT624076301-5
2-5105300-5	HVT	Male	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105300-2	HVT	Male	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105301-5	HVT	Female	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
2-5105301-2	HVT	Female	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
2-5108756-5	HSK	Female	2.5	13		R624 076 3 01	HT624076301-1	HT624076301-5
2-5108757-5	HSK	Male	2.5	13		R624 076 3 01	HT624076301-1	HT624076301-5
3-5105050-5	HN.D	Male	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105050-2	HN.D	Male	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105051-5	HN.D	Female	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105051-2	HN.D	Female	0.75 - 1.00	18 - 17		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105100-5	HE/HA	Male	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105100-2	HE/HA	Male	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105101-5	HE/HA	Female	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105101-2	HE/HA	Female	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105150-5	HSS	Male	6	10		R624 077 3 01	HT624077301-1	HT624077301-5
3-5105150-2	HSS	Male	6	10		R624 077 3 01	HT624077301-1	HT624077301-5
3-5105151-5	HSS	Female	6	10		R624 077 3 01	HT624077301-1	HT624077301-5
3-5105151-2	HSS	Female	6	10		R624 077 3 01	HT624077301-1	HT624077301-5
3-5105250-5	HSM	Male	2.5	13		R624 076 3 01	HT624076301-1	HT624076301-5
3-5105251-5	HSM	Female	2.5	13		R624 076 3 01	HT624076301-1	HT624076301-5
3-5105300-5	HVT	Male	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105300-2	HVT	Male	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105301-5	HVT	Female	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
3-5105301-2	HVT	Female	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
3-5108756-5	HSK	Female	4	11		R624 077 3 01	HT624077301-1	HT624077301-5
3-5108757-5	HSK	Male	4	11		R624 077 3 01	HT624077301-1	HT624077301-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
4-5105050-5	HN.D	Male	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105050-2	HN.D	Male	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105051-5	HN.D	Female	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105051-2	HN.D	Female	1.5	15		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105100-5	HE/HA	Male	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105100-2	HE/HA	Male	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105101-5	HE/HA	Female	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105101-2	HE/HA	Female	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105150-5	HSS	Male	10	7		R624 074 3 0	HT62407430-1	HT62407430-5
4-5105150-5	HSS	Male	10	7		R624 077 3 01	HT624077301-1	HT624077301-5
4-5105150-2	HSS	Male	10	7		R624 074 3 0	HT62407430-1	HT62407430-5
4-5105151-5	HSS	Female	10	7		R624 074 3 0	HT62407430-1	HT62407430-5
4-5105151-5	HSS	Female	10	7		R624 077 3 01	HT624077301-1	HT624077301-5
4-5105151-2	HSS	Female	10	7		R624 074 3 0	HT62407430-1	HT62407430-5
4-5105250-5	HSM	Male	4	11		R624 077 3 01	HT624077301-1	HT624077301-5
4-5105251-5	HSM	Female	4	11		R624 077 3 01	HT624077301-1	HT624077301-5
4-5105300-5	HVT	Male	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105300-5	Solarlok HVT	Male	2.5	13		R624 817 3 01	HT624817301-1	HT624817301-5
4-5105300-2	HVT	Male	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105301-5	HVT	Female	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
4-5105301-5	Solarlok HVT	Female	2.5	13		R624 817 3 01	HT624817301-1	HT624817301-5
4-5105301-2	HVT	Female	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
4-5108756-5	HSK	Female	6	10		R624 077 3 01	HT624077301-1	HT624077301-5
4-5108757-5	HSK	Male	6	10		R624 077 3 01	HT624077301-1	HT624077301-5
5-5105050-5	HN.D	Male	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105050-2	HN.D	Male	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105051-5	HN.D	Female	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105051-2	HN.D	Female	2.5	13		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105100-5	HE/HA	Male	4	11		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105100-2	HE/HA	Male	4	11		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105101-5	HE/HA	Female	4	11		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105101-2	HE/HA	Female	4	11		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105150-5	HSS	Male	16	5		R624 074 3 0	HT62407430-1	HT62407430-5
5-5105150-2	HSS	Male	16	5		R624 074 3 0	HT62407430-1	HT62407430-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
5-5105151-5	HSS	Female	16	5		R624 074 3 0	HT62407430-1	HT62407430-5
5-5105151-2	HSS	Female	16	5		R624 074 3 0	HT62407430-1	HT62407430-5
5-5105250-5	HSM	Male	6	10		R624 077 3 01	HT624077301-1	HT624077301-5
5-5105251-5	HSM	Female	6	10		R624 077 3 01	HT624077301-1	HT624077301-5
5-5105300-5	HVT	Male	4	11		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105300-5	Solarlok HVT	Male	4	11		R624 817 3 01	HT624817301-1	HT624817301-5
5-5105300-2	HVT	Male	4	11		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105300-2	HVT	Male	4	11		R624 867 3 01	HT624867301-1	HT624867301-5
5-5105301-5	HVT	Female	4	11		R624 071 3 01	HT624071301-1	HT624071301-5
5-5105301-5	Solarlok HVT	Female	4	11		R624 817 3 01	HT624817301-1	HT624817301-5
5-5105301-5	HVT	Female	4	11		R624 867 3 01	HT624867301-1	HT624867301-5
5-5105301-2	HVT	Female	4	11		R624 071 3 01	HT624071301-1	HT624071301-5
5-5108756-5	HSK	Female	10	7		R624 077 3 01	HT624077301-1	HT624077301-5
5-5108757-5	HSK	Male	10	7		R624 077 3 01	HT624077301-1	HT624077301-5
6-5105100-5	HE/HA	Male	0.12 - 0.15	26		R624 071 3 01	HT624071301-1	HT624071301-5
6-5105101-5	HE/HA	Female	0.12 - 0.15	26		R624 071 3 01	HT624071301-1	HT624071301-5
6-5105250-5	HSM	Male	10	7		R624 077 3 01	HT624077301-1	HT624077301-5
6-5105251-5	HSM	Female	10	7		R624 077 3 01	HT624077301-1	HT624077301-5
6-5105300-5	HVT	Male	0.12 -0.40	26 -22		R624 071 3 01	HT624071301-1	HT624071301-5
6-5105300-2	HVT	Male	0.12 -0.40	26 -22		R624 071 3 01	HT624071301-1	HT624071301-5
6-5105301-5	HVT	Female	0.12 -0.40	26 -22		R624 071 3 01	HT624071301-1	HT624071301-5
6-5105301-2	HVT	Female	0.12 -0.40	26 -22		R624 071 3 01	HT624071301-1	HT624071301-5
7-5105300-5	Solarlok HVT	Male	6	10		R624 817 3 01	HT624817301-1	HT624817301-5
7-5105300-2	HVT Solarlok	Male	5 - 6	10		R624 867 3 01	HT624867301-1	HT624867301-5
7-5105301-5	Solarlok HVT	Female	6	10		R624 817 3 01	HT624817301-1	HT624817301-5
7-5105301-2	HVT Solarlok	Female	5 - 6	10		R624 867 3 01	HT624867301-1	HT624867301-5
3-5447221-4	Superseal 1.0	Female	0.50 - 0.60	-		R624 1091 3 01	HT6241091301-1	HT6241091301-5
3-5447221-3	Superseal 1.0	Female	0.75 - 1.25	-		R624 1091 3 01	HT6241091301-1	HT6241091301-5
1827589-2	D1000	Female	0.30 - 0.90	-		R624 1092 3 01	HT6241092301-1	HT6241092301-5
1871745-5	D1000	Female	0.30 - 0.90	-		R624 1092 3 01	HT6241092301-1	HT6241092301-5
1903118-2	D1000	Male	0.30 - 0.90	-		R624 1092 3 01	HT6241092301-1	HT6241092301-5
1903126-5	D1000	Male	0.34 - 0.86	-		R624 1092 3 01	HT6241092301-1	HT6241092301-5
41412	Faston 6.35 (.250)	Male	-	-		R624 1090 3 01	HT6241090301-1	HT6241090301-5
AT62-52-0166	Amphenol Sine: ATP/AHD-6	Female	12 (.113 - .176)	-		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
AT62-52-0144	Amphenol Sine: ATP/AHD-6	Female	12 (.113 - .176)	-		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
AT62-54-0122	Amphenol Sine: AT/AHD-9	Female	16 (.095 - .150)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT62-54-0144	Amphenol Sine: AT/AHD-9	Female	16 (.095 - .150)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT62-56-0122	Amphenol Sine: AT/AHD-9	Female	16 (.075 - .140)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT62-56-0144	Amphenol Sine: AT/AHD-9	Female	16 (.075 - .140)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT62-56-0622	Amphenol Sine: AT/AHD-9	Female	16 (.055 - .100)	-		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT62-56-0644	Amphenol Sine: AT/AHD-9	Female	16 (.055 - .100)	-		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT62-20-0122	Amphenol Sine: ATM	Female	20 (.075 - .125)	-		624 1631 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT62-20-0144	Amphenol Sine: ATM	Female	20 (.075 - .125)	-		624 1631 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT60-52-0166	Amphenol Sine: ATP/AHD-6	Male	12 (.113 - .176)	-		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
AT60-52-0144	Amphenol Sine: ATP/AHD-6	Male	12 (.113 - .176)	-		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
AT60-54-0122	Amphenol Sine: AT/AHD-9	Male	16 (.095 - .150)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT60-54-0144	Amphenol Sine: AT/AHD-9	Male	16 (.095 - .150)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT60-56-0122	Amphenol Sine: AT/AHD-9	Male	16 (.075 - .140)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT60-56-0144	Amphenol Sine: AT/AHD-9	Male	16 (.075 - .140)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT60-56-0622	Amphenol Sine: AT/AHD-9	Male	16 (.055 - .100)	-		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT60-56-0644	Amphenol Sine: AT/AHD-9	Male	16 (.055 - .100)	-		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT60-20-0122	Amphenol Sine: ATM	Male	20 (.075 - .125)	-		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
AT60-20-0144	Amphenol Sine: ATM	Male	20 (.075 - .125)	-		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
1062-52-0222	Deutsch	Female	12 (.140 - .204)	-		624 1628 3 01 RT	HT6241628301RT-1	HT6241628301RT-5
1062-52-0166	Deutsch	Female	12 (.113 - .176)	-		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
1062-52-0144	Deutsch	Female	12 (.113 - .176)	-		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
1062-54-0122	Deutsch	Female	16 (.095 - .150)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1062-54-0144	Deutsch	Female	16 (.095 - .150)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1062-56-0122	Deutsch	Female	16 (.075 - .140)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1062-56-0144	Deutsch	Female	16 (.075 - .140)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1062-56-0622	Deutsch	Female	16 (.055 - .100)	-		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
1062-56-0644	Deutsch	Female	16 (.055 - .100)	-		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
1062-56-5222	Deutsch	Female	16 (.075 - .140)	-		624 1632 3 01 RT	HT6241632301RT-1	HT6241632301RT-5
1062-20-0122	Deutsch	Female	20 (.075 - .125)	-		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
1062-20-0144	Deutsch	Female	20 (.075 - .125)	-		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
1060-52-0222	Deutsch	Male	12 (.140 - .204)	-		624 1628 3 01 RT	HT6241628301RT-1	HT6241628301RT-5
1060-52-0166	Deutsch	Male	12 (.113 - .176)	-		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
1060-52-0144	Deutsch	Male	12 (.113 - .176)	-		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
1060-54-0122	Deutsch	Male	16 (.095 - .150)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1060-54-0144	Deutsch	Male	16 (.095 - .150)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1060-56-0122	Deutsch	Male	16 (.075 - .140)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1060-56-0144	Deutsch	Male	16 (.075 - .140)	-		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1060-56-0622	Deutsch	Male	16 (.055 - .100)	-		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
1060-56-0644	Deutsch	Male	16 (.055 - .100)	-		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
1060-56-5222	Deutsch	Male	16 (.075 - .140)	-		624 1632 3 01 RT	HT6241632301RT-1	HT6241632301RT-5
1060-20-0122	Deutsch	Male	20 (.075 - .125)	-		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
AT62-12-0166	Amphenol Sine: ATP/AHD-6	Female	12 (.113 - .176)	12-14		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
AT62-12-0144	Amphenol Sine: ATP/AHD-6	Female	12 (.113 - .176)	12-14		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
AT62-14-0122	Amphenol Sine: AT/AHD-9	Female	16 (.095 - .150)	14-16		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT62-14-0144	Amphenol Sine: AT/AHD-9	Female	16 (.095 - .150)	14-16		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT62-16-0122	Amphenol Sine: AT/AHD-9	Female	16 (.075 - .140)	16-18		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT62-16-0144	Amphenol Sine: AT/AHD-9	Female	16 (.075 - .140)	16-18		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT62-16-0622	Amphenol Sine: AT/AHD-9	Female	16 (.055 - .100)	18-20		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT62-16-0644	Amphenol Sine: AT/AHD-9	Female	16 (.055 - .100)	18-20		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT62-20-0122	Amphenol Sine: ATM	Female	20 (.075 - .125)	16-22		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
AT62-20-0144	Amphenol Sine: ATM	Female	20 (.075 - .125)	16-22		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
AT60-12-0166	Amphenol Sine: ATP/AHD-6	Male	12 (.113 - .176)	12-14		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
AT60-12-0144	Amphenol Sine: ATP/AHD-6	Male	12 (.113 - .176)	12-14		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
AT60-14-0122	Amphenol Sine: AT/AHD-9	Male	16 (.095 - .150)	14-16		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT60-14-0144	Amphenol Sine: AT/AHD-9	Male	16 (.095 - .150)	14-16		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT60-16-0122	Amphenol Sine: AT/AHD-9	Male	16 (.075 - .140)	16-18		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT60-16-0144	Amphenol Sine: AT/AHD-9	Male	16 (.075 - .140)	16-18		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
AT60-16-0622	Amphenol Sine: AT/AHD-9	Male	16 (.055 - .100)	18-20		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT60-16-0644	Amphenol Sine: AT/AHD-9	Male	16 (.055 - .100)	18-20		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
AT60-20-0122	Amphenol Sine: ATM	Male	20 (.075 - .125)	16-22		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
AT60-20-0144	Amphenol Sine: ATM	Male	20 (.075 - .125)	16-22		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
1062-12-0222	Deutsch	Female	12 (.140 - .204)	10		624 1628 3 01 RT	HT6241628301RT-1	HT6241628301RT-5
1062-12-0166	Deutsch	Female	12 (.113 - .176)	12-14		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
1062-12-0144	Deutsch	Female	12 (.113 - .176)	12-14		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
1062-14-0122	Deutsch	Female	16 (.095 - .150)	14-16		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1062-14-0144	Deutsch	Female	16 (.095 - .150)	14-16		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1062-16-0122	Deutsch	Female	16 (.075 - .140)	16-18		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5

Reference Sheet for Crimp-Dies

Terminal P/N	Product Family	Gender	Gage Size Metric (mm ²)	Gage Size AWG	DELPHI P/N	Rennsteig P/N	PSG Tool P/N	PSG Die Set P/N
1062-16-0144	Deutsch	Female	16 (.075 - .140)	16-18		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1062-16-0622	Deutsch	Female	16 (.055 - .100)	18-20		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
1062-16-0644	Deutsch	Female	16 (.055 - .100)	18-20		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
1062-16-1222	Deutsch	Female	16 (.075 - .140)	12-16		624 1632 3 01 RT	HT6241632301RT-1	HT6241632301RT-5
1062-20-0122	Deutsch	Female	20 (.075 - .125)	16-22		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
1062-20-0144	Deutsch	Female	20 (.075 - .125)	16-22		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
1060-12-0222	Deutsch	Male	12 (.140 - .204)	10		624 1628 3 01 RT	HT6241628301RT-1	HT6241628301RT-5
1060-12-0166	Deutsch	Male	12 (.113 - .176)	12-14		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
1060-12-0144	Deutsch	Male	12 (.113 - .176)	12-14		624 1627 3 01 RT	HT6241627301RT-1	HT6241627301RT-5
1060-14-0122	Deutsch	Male	16 (.095 - .150)	14-16		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1060-14-0144	Deutsch	Male	16 (.095 - .150)	14-16		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1060-16-0122	Deutsch	Male	16 (.075 - .140)	16-18		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1060-16-0144	Deutsch	Male	16 (.075 - .140)	16-18		624 1629 3 01 RT	HT6241629301RT-1	HT6241629301RT-5
1060-16-0622	Deutsch	Male	16 (.055 - .100)	18-20		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
1060-16-0644	Deutsch	Male	16 (.055 - .100)	18-20		624 1630 3 01 RT	HT6241630301RT-1	HT6241630301RT-5
1060-16-1222	Deutsch	Male	16 (.075 - .140)	12-16		624 1632 3 01 RT	HT6241632301RT-1	HT6241632301RT-5
1060-20-0122	Deutsch	Male	20 (.075 - .125)	16-22		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
1060-20-0144	Deutsch	Male	20 (.075 - .125)	16-22		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5
1060-20-0144	Deutsch	Male	20 (.075 - .125)	-		624 1631 3 01 RT	HT6241631301RT-1	HT6241631301RT-5

RENNSTEIG TOOLS, Inc. | 301 Route 17 North, Suite 800 | Rutherford, NJ 07070